




INDUCTION WARMERS
THAT DOUBLE UP AS ARTWORK



SPECIALLY DESIGNED FOR BUFFETS
AND SIMILAR WARMING APPLICATIONS

IT CAN REDUCE THE ACCIDENTAL
SCALD DURING BUFFET.



STAINLESS STEEL HOUSING THICKNESS 1.2MM

LOAD BEARING: 20KG
ONE-PIECE STAINLESS
STEEL BENDING BODY.



GLASS-CERAMIC SURFACE, EASY TO CLEAN, ANTI-IMPACT

RADIUS CORNER PROCESSING TECHNOLOGY
FOR GLASS-CERAMICS, WHICH CAN AVOID
THE DAMAGE ON THE CORNER.



Caution Hot Surface

 BUTLER®

40°C-100°C

**TEMPERATURE RANGE,
SUITABLE FOR VARIOUS DISHES.**

LED TEMPERATURE DISPLAY

40 45 50 55 60 65 70 75 80 85 90 95



R[®]

UNIQUE CUSTOM STEPLESS KNOB

3 DIGITAL BIG LED DISPLAY SCREEN



SUITABLE FOR PLACEMENT OF

GN 1/1 PAN



IDEAL FOR BUFFETS

IT'S A NEW GENERATION INDUCTION COOKER.
IT STANDS FOR A NEW STANDARD OF INDUCTION
COOKER. START FROM HEALTHY LIFE.



DIW-1.0

CIW-1.0



CIW-1.0






DIW-1.0

INDUCTION WARMING PLATE






MODEL	CIW-1.0
POWER	1000W 220-240V 50-60HZ
DIMENSION	530*335*61MM
TEMP RANGE	40°C-100°C
CERTIFICATION	CE, EMC, REACH, ROHS
GN PAN	I/I





INDUCTION WARMING PLATE



MODEL	DIW-I.0
POWER	1000W 220-240V 50-60HZ
DIMENSION	490*345*60.5MM
TEMP RANGE	40°C-100°C
CERTIFICATION	CE, EMC, REACH, ROHS
GN PAN	I/I







**B Side L, Pashupatinath Mandir, Near Jamma Masjid, Ayappa Mandir
Road, Bhimrao Bhosle Chowk, Nehru Nagar, Pimpri, Pune – 411018**

Email: unitedenterprises18@gmail.com

Website: www.punekitchen.com

Mobile: +91 9766641022

GST: 27BIYPN1859G2ZJ