

www.dynzworldwide.com



WELCOME TO DYNZ COOLING INDUSTRIES PVT. LTD.

DYNZ Cooling Industries, situated at Pune, was established for meeting the pure and healthy water needs of industry, homes and communities. Capitalizing on advanced technology, design engineering and expertise, we can plan, integrate and manage water solutions.

Capitalizing on the advanced technology & vast technical and human expertise we are able to deliver best water solutions in India, GCC & African countries. Established in the year 2012, we have grown splendidly over the years and we have spread our wings across many states with in India & GCC countries.

VISION

To Provide DYNZ products to every part of the world with the assurance of quality & service.

MISSION

We are committed to bring value for all our customers by quality & financial excellence, and best in class ethical practices that are built on Philosophy of trust, integrity & loyalty to the stakeholders. We want to be consistently inspirational in adopting the changes.

OUR VALUES

Products that are excellent in quality & workmanship. Business ethics, personal accountability, flexibility and Commitment.

TECHNICAL SPECIFICATIONS

| Model No. | | DC20 | DC40 | DC60 | |
|-----------------------------|-------------------------------------|--------------------|--------------------|--------------------|--|
| Performance Parameters | Peak Cooling Capacity (Ltr) | 20 | 40 | 40 | |
| raiameters | Storage Tank Capacity (Litres) Tank | 20 | 40 | 60 | |
| | Operation Temperature Range | 0°C to 25°C | 0°C to 25°C | 0°C to 25°C | |
| | Power Supply | 230-240V/50Hz/1 Ph | 230-240V/50Hz/1 Ph | 230-240V/50Hz/1 Ph | |
| | Rated Current (Amp.) 2.2A | 2.2A | 2.2A | | |
| | No. of Taps | PUF | PUF | PUF | |
| Tank | Tank Material | 1 | 2 | 2 | |
| Construction Material | Front Panel | SS-304, Food Grade | SS-304, Food Grade | SS-304, Food Grade | |
| | Side Panel | и | " | И | |
| | Back Panel | п | " | п | |
| | Top Panel (Close Type Lid) | и | " | и | |
| | Drip Tray | " | " | " | |
| | Anti-Splash Tray | п | " | И | |
| Compressor & Refrigerant | Compressor Type | Reciprocating | Reciprocating | Reciprocating | |
| | Refrigerant | R134a | R134a | R134a | |
| Dimensions | External Dimensions (Wx Dx H) | 400 x 530 x 1050 | 477 x 550 x 1225 | 572 x 570 x 1225 | |
| and Net Weight | Net Weight (Kg) | 25 | 32 | 38 | |



COOLS WATER BETTER AND FASTER

Look no further for the best water cooler, Dynz water coolers are not only aesthetically designed but also designed to give optimum performance in the least amount of time along with safe and clean drinking water. Its outer body is built with high grade Stainless Steel, making them more durable.

Our latest range of coolers with powerful & rugged compressor cool water fast and it is best in places like schools, colleges, offices and other corporate and commercial communities where the consumption of water is frequent and high.

UNMATCHED FEATURES OF DYNZ WATER COOLERS



FASTER COOLING



ENERGY EFFICIENT COOLING UNIT



CFC FREE GAS



ECO FRIENDLY



SAFE WATER STORAGE



SILENT OPERATION



LARGE DISTRIBUTION & SERVICE NETWORK



HIGH GRADE FULLY STAINLESS-STEEL BODY



DESIGNED AS PER INTERNATIONAL STANDARD

| DC80 | DC100 | DC120 | DC150 | DC200 | DC400 |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------|
| 40 | 60 | 60 | 100 | 150 | 150 |
| 80 | 100 | 120 | 150 | 200 | 400 |
| 5°C to 25°C | 5°C to 25°C | 5°C to 25°C | 10°C to 25°C | 10°C to 25°C | 10°C to 25°C |
| 230-240V/50Hz/1 Ph | 230-240V/50Hz/1Ph | 230-240V/50Hz/1 Ph | 230-240V/50Hz/1 Ph | 230-240V/50Hz/1 Ph | |
| 2.2A | 3.8A | 3.8A | 4.5A | 6.1A | 7.7A |
| PUF | PUF | PUF | PUF | PUF | PUF |
| 2 | 2 | 3 3 | 4 | 5 | |
| SS-304, Food Grade | |
| SS-430, Mirror Finish | |
| П | п | п | п | п | п |
| Ш | П | П | п | п | п |
| п | п | п | п | п | п |
| п | п | п | п | п | п |
| Reciprocating | Reciprocating | Reciprocating | Reciprocating | Reciprocating | Reciprocating |
| R134a | R134a | R134a | R134a | R22 | R22 |
| 678 × 600 × 1220 | 823 x 640 x 1240 | 823 x 640 x 1240 | 823 x 640 x 1240 | 1150 x 850 x 1300 | 1150 x 850 x 1500 |
| 45 | 48 | 50 | 56 | 85 | 95 |

WHAT MAKES DYNZ WORLDWIDE DISTINCTIVE.?



STATE-OF-THE-ART **INFRASTRUCTURE**



ETHICAL BUSINESS PRACTICES



PROFESSIONAL TEAM



ON SCHEDULE DELIVERY OF CONSIGNMENTS



WIDE DISTRIBUTION **NETWORK**



INDUSTRY LEADING PRICES



STRINGENT QUALITY CHECKS



OUR CLIENTELE



































B Side L, Pashupatinath Mandir, Near Jamma Masjid, Ayappa Mandir Road, Bhimrao Bhosle Chowk, Nehru Nagar, Pimpri, Pune – 411018 Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

Mobile: +91 9766641022 GST: 27BIYPN1859G2ZJ