Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

INDEX			
PAGE NO.	PRODUCT CATEGORY		
PAGE 1A	DECK OVENS		
PAGE 1B	DECK OVENS		
PAGE 2	PLANETARY MIXERS & BREAD SLICERS		
PAGE 3	SPIRAL MIXERS, DOUGH SHEETERS & PROOFERS		
PAGE 4	SANDWICH GRILLERS & WAFFLE MAKERS		
PAGE 5	DEEP FAT FRYERS		
PAGE 6	PIZZA OVENS & SALAMANDER		
PAGE 7	BAIN MARIE		
PAGE 8	GRIDDLE PLATE, TOASTER, ICE CRUSHER & INFRALAMPS		
PAGE 9	DISPLAY SHOWCASE / CAKE DISPLAY		
PAGE 10	COFFEE MACHINES & GRINDER		
PAGE 11	JUICE DISPENSERS, SLUSH MACHINES & OTHERDISPENSERS		
FAGL 11	JOICE DISPENSERS, SEOSH WACHINES & OTHERDISPENSERS		
PAGE 12	<u>BLENDERS</u>		
PAGE 13	MEAT MINCER, MIXER GRINDER & VEGETABLECUTTER		
PAGE 14	CHEST FREEZERS / ICE CREAM FREEZERS		
PAGE 15	VISI COOLER / BOTTLE COOLER & WINE CHILLER		
PAGE 16	BAR EQUIPMENT		
PAGE 17	REFRIGERATORS		
PAGE 18	CELFROST REFRIGERATORS		
PAGE 19	WATER COOLERS		
PAGE 20	GAS BURNER RANGE / COOKING RANGE		
PAGE 21	DOSA PLATE, GRIDDLE & TANDOOR		
PAGE 22	WORK TABLES		
PAGE 23	SINKS, GREASE TRAPS & DRAIN COVER		
PAGE 24	STORAGE SOLUTIONS		
PAGE 25	EXHAUST SYSTEM & FRESH AIR SYSTEM		
17.02.23	EXTROST STOTEM & TREST AIR STOTEM		

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022 . 9860125383 .	Email: unitedenterprises18@gmail.com Website: www.punekitchen.com
PAGE 26	DISH WASHING MACHINES
PAGE 27	ICE CUBE MACHINES
PAGE 28	COMBI OVENS
PAGE 29	MICROWAVE OVENS & RICE COOKER
PAGE 30	G N PANS
PAGE 31	TROLLEYS & CARTS
PAGE 32	INDIAN MACHINERY
PAGE 33	INDIAN MACHINERY & IDLY STEAMERS
PAGE 34	BARBEQUES & SHAWARMA MACHINES
PAGE 35	FOOD WARMERS & POP CORN MACHINES
TERMS PAGE	TERMS & CONDITIONS

<u>PRODUCT LIST</u>		PAGE 1A	
CODE	PRODUCT	DETAILS	IMAGE
OV E 0101N	NEW ELECTRIC OVEN SINGLE DECK ONE TRAY	Dimensions: 35x22x15". Tray Size: 16x24". Inner Chamber Size 24x16". Voltage: 220V (Single Phase) Power: 4.2Kw. Net Wt.: 35kg. Separate temp. control for up and down. Maximum Temperature: Up to 300°C WITH DIGITAL DISPLAY & MANUAL CONTROL.	
OV E 0102N	NEW ELECTRIC OVEN SINGLE DECK TWO TRAY	Dimensions: 48x32x21". Tray Size: 16x24". Inner Chamber Size 34x24". Options available for 220V Single Phase & 380V Three Phase. Power: 7Kw. Net Wt.: 80kg. Separate temp. control for up and down. Maximum Temperature: Up to 400°C WITH COMPUTERIZED CONTROL AND TIMER.	ALUTER CASE OF THE PARTY OF THE

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

OV E 0204N	NEW ELECTRIC OVEN TWO DECK FOUR TRAY	Dimensions: 48x32x50". Tray Size: 16x24". Inner Chamber Size 34x24". Voltage: 380v (Three Phase) Power: 14Kw. Net Weight: 170kg. Separate temp. control for all 4 heaters. Maximum Temperature: Up to 400°C WITH COMPUTERIZED CONTROL AND TIMER.	HISTORY CHARACTER AND ADDRESS OF THE CHARACTE
OV G 0102N	NEW GAS OVEN SINGLE DECK TWO TRAY	Dimensions: 53x36x27". Tray Size: 16x24". Inner Chamber Size 34x25". Voltage: 220V (Single Phase) Power: 0.1Kw. Net Weight: 135kg. Separate temp. control for up and down. Maximum Temperature: Up to 400°C WITH COMPUTERIZED CONTROL AND TIMER.	ALUSTRE DE LA CONTROL DE LA CO
OV G 0204N	NEW GAS OVEN TWO DECK FOUR TRAY	Dimensions: 53x36x58". Tray Size: 16x24". Inner Chamber Size 34x25". Voltage: 220V (Single Phase) Power: 0.2Kw. Net Weight: 280kg. With Digital Timer & Buzzer. Separate temp. control for all 4 Burners. Maximum Temperature: Up to 400°C WITH COMPUTERIZED CONTROL AND TIMER.	THEORY STREET
OV G 0306N	NEW GAS OVEN THREE DECK SIX TRAY	Dimensions: 53x36x68". Tray Size: 16x24". Inner Chamber Size 34x25". Voltage: 220V (Single Phase) Power: 0.3Kw. Net Weight: 410kg. With Digital Timer & Buzzer. Separate temp. control for all 6 Burners. Maximum Temperature: Up to 400°C WITH COMPUTERIZED CONTROL AND TIMER.	THE THE PARTY OF T

<u>PRODUCT LIST</u>		PAGE 1B	
CODE	CODE PRODUCT DETAILS		IMAGE

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

ĺ
MATTER ME TO SERVICE ME SERVICE ME SERVICE ME SERVICE ME SERVICE ME SERV
ALUTER With the States
0
_
100
U
9
F-17-6
0
AUTTE
_ALLETTE
10
TTA
5
-Autoria-
111111111111111111111111111111111111111

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: <u>unitedenterprises18@gmail.com</u> Website: <u>www.punekitchen.com</u>

OV G 0309 GAS OVEN
THREE DECK
NINE TRAY

Dimensions: 70x34x70". Tray Size: 16x24".

Inner Chamber Size 56x28".

Voltage: 220V (Single Phase)

Power: 0.4 Kw. Weight: 550 kg. Appx.

With Digital Timer & Buzzer

Separate temperature control for all 9

Burners. Maximum Temperature: Up to 400°C



	PAGE 2		
CODE	PRODUCT	DETAILS	IMAGE
PL 07A	PLANETARY FOOD MIXER 7 LITRE Table Top	Bowl Volume: 7Litre. Dimensions: 17x10x17" Voltage: 220V (Single Phase) Mixing Speed: Variable. Three Attachments. Mixing Capacity: 1kg Cream, 0.5kg Flour. Power: 0.45Kw. Net Wt.: 29kg.	8
PL 10A	PLANETARY FOOD MIXER 10 LITRE	Bowl Volume: 10Litre. Dimensions: 18x15x24" Voltage: 220V (Single Phase) Mixing Speed: 105/180/408. Three Attachments. Mixing Capacity: 2kg Cream, 1kg Flour. Power: 0.5Kw. Net Wt.: 56kg.	
PL 20A	PLANETARY FOOD MIXER 20 LITRE	Bowl Volume: 20Litre. Dimensions: 21x18x33" Voltage: 220V (Single Phase) Mixing Speed: 105/180/408. Three Attachments. Mixing Capacity: 5kg Cream, 3kg Flour. Power: 0.75Kw. Net Wt.: 80kg.	
PL 30A	PLANETARY FOOD MIXER 30 LITRE	Bowl Volume: 30Litre. Dimensions: 22x20x37" Voltage: 220V (Single Phase) Mixing Speed: 110/200/420. Three Attachments. Mixing Capacity: 8kg Cream, 4.5kg Flour. Power: 1Kw. Net Wt.: 90kg.	
PL 40A	PLANETARY FOOD MIXER 40 LITRE	Bowl Volume: 40Litre. Dimensions: 25x25x40" Voltage: 220V (Single Phase) Mixing Speed: 80/160/288. Three Attachments. Mixing Capacity: 10kg Cream, 6kg Flour. Power: 1.1kw. Net Wt.: 150kg.	0
BS 12 IMP	IMPORTED BREAD SLICER 12 MM	Dimensions: 22x20x24". No. of Slices: 31. No. of Blades: 32 Blades. Voltage: 220V. Power: 0.25 kw.	
BS 10 IND	INDIAN BREAD SLICER 10 mm WITH STAND	Dimensions: 15x20x19". No. of Slices: 23. No. of Blades: 24 Blades. Voltage: 220V. Power: 0.25 kw.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

BS 12 IND	INDIAN BREAD SLICER 12 mm WITH STAND	Dimensions: 20x20x20". No. of Slices: 27. No. of Blades: 28blades. Voltage: 220V. Power: 0.25 kw.	
BS SS 12 IND	INDIAN S.S. BODY BREAD SLICER 12 MM WITH STAND	Dimensions: 20x20x20". No. of Slices: 29. No. of Blades: 30 Blades. Voltage: 220V. Power: 0.25 kw.	
BS 14 IND	INDIAN BREAD SLICER 14 MM WITH STAND	Dimensions: 20x20x20". No. of Slices: 25. No. of Blades: 26 Blades. Voltage: 220V. Power: 0.25 kw.	

PRODUCT LIST			PAGE 3
CODE	PRODUCT	DETAILS	IMAGE
SP 20A	SPIRAL DOUGH MIXER 20 LITRE AUTOMATIC TIMER CHANGER	Bowl Volume: 20litre. Kneading Capacity: 8 kg. Dimensions: 28x15x30" Voltage: 220V. Mixing Speed: 100/185rpm. Bowl Speed: 10/16rpm. Power: 0.5/0.75Kw. Net Wt.: 80kg.	
SP 30A	SPIRAL DOUGH MIXER 30 LITRE AUTOMATIC TIMER CHANGER	Bowl Volume: 30litre. Kneading Capacity: 12 kg. Dimensions: 31x18x33" Voltage: 220V. Mixing Speed: 100/185rpm. Bowl Speed: 10/16rpm. Power: 0.85/1.1Kw. Net Wt.: 85kg.	
SP 40A	SPIRAL DOUGH MIXER 40 LITRE AUTOMATIC TIMER CHANGER	Bowl Volume: 40litre. Kneading Capacity: 16 kg. Voltage: 380V (Three Phase). Dimensions: 35x19x38" Power: 1.1/2.2 Kw. Mixing Speed: 100/185rpm. Bowl Speed: 10/16rpm. Net Wt.: 122 kg.	
SP 50A	SPIRAL DOUGH MIXER 50 LITRE AUTOMATIC TIMER CHANGER	Bowl Volume: 50litre. Kneading Capacity: 20 kg. Voltage: 380V (Three Phase). Dimensions: 920x530x940mm. Power: 1.1/2.2 Kw. Mixing Speed: 100/185rpm. Bowl Speed: 10/16rpm. Net Wt.: 128 kg.	
DS 520 SS	DOUGH SHEETER 520 FULL STAINLESS STEEL BODY AND ROLLER	Belt Size: 520mm (21x87inch) Dimensions: 36x106x44". Voltage: 220V 50Hz. Power: 0.55KW Max. Dough Capacity: 5.5kg. Roller Gap: 1mm to 40mm. Net Weight: 248kg.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

DS 650 SS	DOUGH SHEETER 650 FULL STAINLESS STEEL BODY AND ROLLER	Belt Size: 650mm (26x87inch) Dimensions: 40x106x44". Voltage: 220V 50Hz. Power: 0.55KW Max. Dough Capacity: 7.5kg. Roller Gap: 1mm to 40mm. Net Weight: 265kg.	
PR SD	ELECTRIC PROOFER SINGLE DOOR	Default Capacity: 8 Trays (extendable). Tray Size: 16x24". Dimensions: 27x19x76" Voltage: 220V. 50Hz. Power: 2.1KW. Net Weight: 32kg.	
PR DD	ELECTRIC PROOFER TWO DOOR	Default Capacity: 16 Trays (extendable). Tray Size: 16x24". Dimensions: 40x27x76" Voltage: 220V. 50Hz. Power: 2.8KW. Net Weight: 50kg.	

PRODUCT LIST			PAGE 4
CODE	PRODUCT	DETAILS	IMAGE
SG REG SIN	SANDWICH GRILLER SINGLE	Dimensions: 13x15x7" Power: 1.8Kw. Upper Grill Size: 8.25 x 8.5" Lower Grill Size: 9.5 x 9.25" Temperature Range: 50-300°C	
SG JUM SIN	SANDWICH GRILLER JUMBO	Dimensions: 16x15x9" Power: 2.2Kw. Upper Grill Size: 13.5 x 8.5" Lower Grill Size: 14 x 11" Temperature Range: 50-300°C	
SG JUM DBL	SANDWICH GRILLER JUMBO DOUBLE	Dimensions: 34X16X8" Power: 2.2+2.2Kw. Upper Grill Size: 13.5X8.5"X 2 Lower Grill Size: 30X11" Temperature Range: 50-300°C	
WB CONE	CONE BAKER	Dimensions: 14x10x9" Power: 1Kw. Voltage: 220V Single Phase. Weight: 5.4kg. WITH TIMER.	
WB R	WAFFLE BAKER ROUND	Dimensions: 14x10x9" Power: 1Kw. Voltage: 220V Single Phase. Weight: 5.4kg. WITH TIMER.	000 6

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

WB R R01	ROTARY WAFFLE BAKER ROUND	Dimensions: 14x16x10" Power: 1.2Kw. Voltage: 220V Single Phase. Weight: 6.3kg. WITH TIMER.	
WB S	WAFFLE BAKER SQUARE	Dimensions: 12x15x10" Power: 1.6Kw. Voltage: 220V Single Phase. Weight: 11.6kg. WITH TIMER.	
WB MPC	MINI PAN CAKE BAKER	Dimensions: 13x12x7" Power: 0.85 Kw. Voltage: 220V Single Phase. Temperature: 50-300°C.	
WB LOLLY	LOLLY WAFFLE BAKER	Dimensions: 12x12x9" Power: 2 Kw. Voltage: 220V Single Phase. Temperature: 50-300°C.	HINTON AND AND AND AND AND AND AND AND AND AN
WB HOTDOG	HOT DOG WAFFLE BAKER	Dimensions: 13x11x10" Power: 1.55 Kw. Voltage: 220V Single Phase. Temperature: 50-300°C.	
WB BBL	BUBBLE WAFFLE BAKER	Dimensions: 9x23x10" Power: 1.5 Kw. Voltage: 220V Single Phase. Temperature: 50-250°C.	

	PRODU	PAGE 5	
CODE	PRODUCT	DETAILS	IMAGE
	ELECTRIC DEEP FRYER	Dimensions: 8x15x12"	
FR 4	SINGLE	Temperature Range: Up to 190°C	
	4 LITRE	Power: 1.8Kw. Full SS Body. Removable Pan & Body for easy wash.	
	ELECTRIC DEEP FRYER	Dimensions: 10x17x11"	8
FR 6	SINGLE	Temperature Range: Up to 190°C	
	6 LITRE	Power: 2Kw. Full SS Body. Removable Pan & Body for easy wash.	
FR	ELECTRIC DEEP FRYER SINGLE	Dimensions: 11x18x12" LIGHT MODEL Temperature Range: Up to 190°C,	
ECO 8	LIGHT (NON WARRANTY)	Power: 2.5Kw. SS Body.	
	8 LITRE	Removable Pan & Body for easy wash.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

	'	Linan. dintedenterprises10@gm	17 0001001
	ELECTRIC DEEP FRYER	Dimensions: 17x15x12"	
FR D 44	DOUBLE	Temperature Range: Up to 190°C	
111011	4+4 LITRE	Power: 3.5Kw Full SS Body.	C Carre
		Removable Pan & Body for easy wash.	
	ELECTRIC DEEP FRYER	Dimensions: 17x17.5x13"	8
FR D 66	DOUBLE	Temperature Range: Up to 190°C	
1112 00	6+6 LITRE	Power: 2+2Kw. Full SS Body.	
		Removable Pan & Body for easy wash.	
	ELECTRIC DEEP FRYER		
FR ECO	DOUBLE	Dimensions: 17x18x13" LIGHT MODEL	
		Temperature Range: Up to 190°C Power: 2.5+2.5Kw. SS Body.	
D 88	LIGHT (NON WARRANTY)	Removable Pan & Body for easy wash.	
	8+8 LITRE	Removable Pall & Body for easy wash.	
		Dimensions : 11x19.5x14"	
	ELECTRIC DEEP FRYER	Temperature Range: Up to 190°C	
FR 10	WITH TAP	Power: 3Kw. Full SS Body.	
	10 LITRE	Remove Heater & Body for easy	0 - 0
		wash.	
		Dimensions: 14x21x16"	
	ELECTRIC DEEP FRYER	Temperature Range: Up to 190°C	
FR 19	WITH TAP	Power: 5Kw Full SS Body.	Anne
	19 LITRE	Remove Heater & Body for easy	
		wash.	
	GAS FRYER	Dimensions: 8x18x20"	
FR	Non-Automatic	Temperature Range: Up to 190°C	
GAS 7M	(Manual Control)	Power: 18.9TU/Hour. Full SS Body.	
	7 LITRE	Removable Pan & Body for easy wash.	- /
			2
			Throntoning.
	ALITONAATIC CAC	Dimensions: 13x18x25"	
FR	AUTOMATIC GAS	Temperature Range: Up to 190°C	
GAS	FRYER	Full SS Body.	
18A	WITH TAP	Removable Pan & Body for easy wash.	
10,	18 LITRE	<u>AUTOMATIC TEMPERATURE</u>	7/4/-
		<u>CONTROL.</u>	
			**

	PRODUC	PAGE 6	
CODE	PRODUCT	DETAILS	IMAGE
PO EP2M	ELECTRIC PIZZA OVEN STONE BASE SINGLE DOOR: TWO LAYERS	Outer Dimensions: 19x19x14" Chamber Size: 13x13x4" Temperature: 0-350°C. Power: 1.8Kw. Cap: 12inch (40cm) Pizza X 2pcs	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

F11. +31	1 9700041022, 9800125385.	. Email: <u>unitedenterprises18@</u>	ginanicom WCD3itC. www.p
PO EP2	ELECTRIC PIZZA OVEN STONE BASE TWO DOOR: TWO LAYERS	Outer Dimensions: 23x23x17" Chamber Size: 16x16x4.5" Temperature: 0-350°C. Power: 2.4Kw. Cap: 12inch (40cm) Pizza X 2pcs	
PO EP218	ELECTRIC PIZZA OVEN STONE BASE TWO DOOR: TWO LAYERS	Outer Dimensions: 27x27x17" Chamber Size: 19x19x4.5" Temperature: 0-350°C. Power: 3Kw. Cap: 18inch (60cm) Pizza X 2pcs	
PO SS1	STONE BASE SINGLE DOOR: SINGLE LAYER FULL STEEL BODY	Outer Dimensions: 22x22x12" Stone Size: 16x16" (1 stone) Temperature: 0-350°C. Power: 2Kw. Cap: 8inch (20cm) Pizza X 4pcs	
PO SS2	ELECTRIC PIZZA OVEN STONE BASE TWO DOOR: TWO LAYERS FULL STEEL BODY	Outer Dimensions: 22x22x18" Stone Size: 16x16" (2 stone) Temperature: 0-350°C. Power: 3Kw. Cap: 8inch (20cm) Pizza X 8pcs	
PO 0101E WS	STONE BASE SINGLE DOOR SINGLE LAYER HEAVY DUTY	Outer Dimensions: 35x22x15" Stone Size: 24x16" (1 stone) Temperature: 0-350°C Power: 4.2Kw. Cap: 8inch (20cm) Pizza X 6pcs	
PO H24	SUPERSTAR ELECTRIC PIZZA OVEN STONE BASE SINGLE DOOR SINGLE LAYER SUPER HEAVY DUTY	Outer Dimensions: 36x32x17" Stone Size: 24x24" (1 stone) Temperature: 0-350°C. Power: 4.4Kw. Cap: 12inch (30cm) Pizza X 4pcs	
PO 0102G WS	GAS PIZZA OVEN WITH STONE HEAVY DUTY	Dimensions: 53x36x27". Stone: Two stones of size 16x24". Inner Chamber Size 34x25". Voltage: 220V. Power: 0.1Kw. Separate temperature control for up and down. Cap: 8inch (20cm) Pizza X 12pcs	
ES	ELECTRIC SALAMANDER WALL MOUNTING	Dim: 24x12x11" Wall Hanging Model. Power: 2Kw. Weight: 10.8kg. Full SS Body.	

PRODUCT LIST	PAGE 7
--------------	--------

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

CODE	PRODUCT	DETAILS	IMAGE
BM TT 4	ELECTRIC BAIN MARIE TABLE TOP 4 PANS	Dimensions: 28x23x9" Capacity: 4 GN PANS 1/2 [100mm] 6 litre each. Power: 1.5kw	:0
BM TT 6	ELECTRIC BAIN MARIE TABLE TOP 6 PANS	Dimensions: 28x26x12" Capacity: 6 GN PANS OF 1/3 (150mm) 5.4 litre each. Power: 1.5kw	
BM TT GL 3	ELECTRIC BAIN MARIE WITH GLASS TABLE TOP 3 PANS	Dimensions: 36x14x12" Capacity: 3 GN PANS OF 1/2 (100mm) 6 litre each. Power: 1.5kw	in a factor to the
BM TT GL 4	ELECTRIC BAIN MARIE WITH GLASS TABLE TOP 4 PANS	Dimensions: 47x14x12" Capacity: 4 GN PANS OF ½ (100mm) 6 litre each. Power: 1.8kw	
BM 1200	SS BAIN MARIE FLOOR MODEL FOR 3 GN PANS OF 1/1 [PANS EXTRA]	Dimensions: 48x28x32" 1 Under- Shelf. Tank Capacity: 3 GN Pans Of Size 1/1 (150mm). SS Thickness: 16 & 18swg.	
BM 1500	SS BAIN MARIE FLOOR MODEL FOR 4 GN PANS OF 1/1 [PANS EXTRA]	Dimensions: 60x28x32" 1 Under- Shelf. Tank Capacity: 4 GN Pans Of Size 1/1 (150mm). SS Thickness: 16 & 18swg.	
BM GL 1500	SS SERVICE BAIN MARIE WITH SNEEZE GUARD (GLASS) FOR 4 GN PANS OF 1/1 [PANS EXTRA]	Dimensions: 60x28+10x50" Glass Sneeze Guard Provided. Tray Rail Provided. Tank Capacity: 4 GN Pans Of Size 1/1 (150mm). SS Thickness: 16 & 18swg.	
BM GL 1800	SS SERVICE BAIN MARIE WITH SNEEZE GUARD	Dimensions: 72x28+10x50" Glass Sneeze Guard Provided. Tray Rail Provided. Tank Capacity:	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

(GLASS)
FOR 5 GN PANS OF 1/1
[PANS EXTRA]

5 GN Pans Of Size 1/1 (150mm). SS Thickness: 16 & 18swg.



	<u>PROI</u>	PAGE 8	
CODE	PRODUCT		DETAILS
EGP 818	ELECTRIC GRIDDLE PLATE SMALL	Dimension: 22x18.5x9" Power: 3Kw. Plate: 8mm. Temperature Range: 50 to 300°C Full SS Body. Drip Tray Provided.	
EGP 820	ELECTRIC GRIDDLE PLATE BIG	Dimension: 29x20x9" Power: 4Kw. Plate: 8mm. Temperature Range: 50 to 300°C Full SS Body. Drip Tray Provided.	Annu : O
EGP 821 HG	ELECTRIC GRIDDLE PLATE HALF GROOVED	Dimension: 29x20x9" Power: 4Kw. Plate: 8mm. Temperature Range: 50 to 300°C Full SS Body. Drip Tray Provided.	:0 =:0
GGP 821 HG	GAS GRIDDLE PLATE HALF GROOVED	Dimension: 29x21x17" Power: 35.BTU/HR. Plate: 8mm. Temperature Range: 50 to 300°C Full SS Body. Drip Tray Provided.	
TST POP4	POP UP TOASTER 4 SLICE	Dimensions: 14x8x9" Power: 2.24Kw. Full SS Body. Option for using 2+2	
TST POP6	POP UP TOASTER 6 SLICE	Dimensions: 18x8x9" Power: 3.24Kw. Full SS Body. Option for using 2+2+2	
TST CON150	CONVEYOR TOASTER	Dimensions: 22x14x16" Capacity: 150 slices per hour. Power: 1.5Kw. Full SS Body. Option for 1 side, 2 side and bun mode.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

SOUP 10	ELECTRIC SOUP KETTLE	Type: Electric. Capacity: 10Litre. Power: 400W	
IC 1	ICE CRUSHER	Power: 320W Speed: 1400rpm Shaving Capacity: 198lbs/hour. NON WARRANTY ITEM.	
IL1	INFRARED LAMP/ HEATING LAMP	For Food Pick-up. For Food Focus. Power: 250W.Diameter: 175mm Adjustable Height: 0.6 ~ 1.8-mtr.	Bronge Black Shyer

RATES:
PAYMENT:
DELIVERY:
VALIDITY:

	PRODU	PAGE 9	
CODE	PRODUCT	DETAILS	IMAGE
DIS RND 1200	REFRIGERATED CAKE DISPLAY SHOWCASE ROUND GLASS - 4FT VACCUM INSULATED	Dimensions: 48x28x49" 3 SHELVES + BASE. KOREAN MARBLE. Vacuum Sandwich Insulated Glass. Power: 760Watt. Single Phase 220V. Temperature Range: 4-8°C Cooling: Air (Ventilated) Cooling. Refrigerant R134A.	
DIS RND 1500	REFRIGERATED CAKE DISPLAY SHOWCASE ROUND GLASS - 5FT VACCUM INSULATED	Dimensions: 60x28x49" 3 SHELVES + BASE. KOREAN MARBLE. Vacuum Sandwich Insulated Glass. Power: 760Watt. Single Phase 220V. Temperature Range: 4-8°C Cooling: Air (Ventilated) Cooling. Refrigerant R134A.	
DIS SQR 1200	REFRIGERATED CAKE DISPLAY SHOWCASE STRAIGHT GLASS - 4FT VACCUM INSULATED	Dimensions: 48x27x48" 3 SHELVES + BASE. KOREAN MARBLE. Vacuum Sandwich Insulated Glass. Power: 760Watt. Single Phase 220V. Temperature Range: 4-8°C Cooling: Air (Ventilated) Cooling. Refrigerant R134A.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

	<u> </u>	 inan. dintedenter prises 10@gman	TT COSTCC.
DIS SQR 1500	REFRIGERATED CAKE DISPLAY SHOWCASE STRAIGHT GLASS - 5FT VACCUM INSULATED	Dimensions: 60x27x48" 3 SHELVES + BASE. KOREAN MARBLE. Vacuum Sandwich Insulated Glass. Power: 760Watt. Single Phase 220V. Temperature Range: 4-8°C Cooling: Air (Ventilated) Cooling. Refrigerant R134A.	
DIS SWEET	REFRIGERATED SWEET DISPLAY SHOWCASE ROUND GLASS – 5.4FT	Dimensions: 64x28x49". Steel body. 2 Shelves + Base. Toughened Glass. Power: 850Watt. Single Phase 220V. Temperature Range: 4-8°C Cooling: Static Cooling (Coil Cooling). Compressor: Donper.	
DIS TT1	ROUND GLASS PASTRY DISPLAY SHOWCASE TABLE TOP	Dimensions: 34x20x31". Steel body. 1 SHELF + BASE. Toughened Glass. Power: 320Watt. Single Phase 220V. Temperature Range: 4-8°C Cooling: Air (Ventilated) Cooling. Refrigerant R134A.	
DIS SUSHI 5	REFRIGERATED SUSHI DISPLAY	Dimensions: 54X17X13" Power: 135Watt. Capacity: 52Ltr. Temperature Range: 2-12°C GN Pan: 5pc of size 1/3.	
DIS ROTATE	REFRIGERATED ROTATING CAKE DISPLAY SHOWCASE TABLE TOP	Dimensions: 18X18X41" Rotating Cake Showcase. With LED Lights. Power: 450Watt. Capacity: 72Ltr. Temperature Range: 2-10°C	

	<u>PRO</u>	PAGE 10	
CODE	PRODUCT	DETAILS	IMAGE
CM EB 1G	EXPOBAR COFFEE MACHINE SINGLE GROUP SEMI AUTOMATIC	Brand: EXPOBAR BY CREM Model: New Elegance Mini Single Group. Made in Sweden. Boiler Capacity: 6 Ltr. Power: 2700W. Dimensions: 490x510x580mm. Provided: One Group Handle, One Steam Wand & One Hot Water Dispenser.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

	-525700012022,50002	25565. Linaii. dilitedenterprises16@	Website: Within
CM EB 2G	EXPOBAR COFFEE MACHINE TWO GROUP SEMI AUTOMATIC	Brand: EXPOBAR BY CREM Model: New Elegance Mini Two Group. Made in Sweden. Boiler Capacity: 6 Ltr. Power: 2700W. Dimensions: 490x510x580mm. Provided: Two Group Handle, One Steam Wand & One Hot Water Dispenser.	
CM LC 1G A1	LA CIMBALI COFFEE MACHINE SINGLE GROUP SEMI AUTOMATIC	Brand: LA CIMBALI Model: A1. Made in Italy. Boiler Capacity: 5 Ltr. Power: 2800-3300W. Dimensions: 432x528x570mm. Provided: One Group Handle, One Steam Wand & One Hot Water Dispenser.	WOODS Linder
CM LC 2G A2	LA CIMBALI COFFEE MACHINE TWO GROUP SEMI AUTOMATIC	Brand: LA CIMBALI Model: A2. Made in Italy. Boiler Capacity: 10.5 Ltr. Power: 2800-3300W. Dimensions: 712x528x570mm. Provided: Two Group Handle, One Steam Wand & One Hot Water Dispenser.	
CG MARFIL	MARFIL COFFEE GRINDER	Brand: MARFIL. Hopper Capacity: 2 kg Beans. Dispenser Capacity: 600gm. Dispensing Capacity: 5 to 12 gm. Time: 500gm in 5 min. Power: 356W. Dimensions: 210x600x380mm.	
CG MAGNU M	LA CIMBALI ON DEMAND COFFEE GRINDER/DOSER	Brand: LA CIMBALI. Model: MAGNUM ON DEMAND. Hopper Capacity: 1.6 kg Beans. 64mm flat grinding burrs. Time: 13kg per hour. Power: 300W. Dimensions: 220x400x620mm.	

	<u>PRODUCT LIST</u>		
CODE	PRODUCT	DETAILS	IMAGE

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

JD 9L 1	JUICE DISPENSER REFREGERATED SINGLE JAR	Single Jar: Capacity: 9 Ltr. Dimensions: 210x390x670mm. Voltage: 220V (Single Phase) Power: 180Watt. Net Wt.: 13kg. Temperature Range: 7°C ~ 12°C	
JD 9L 2	JUICE DISPENSER REFREGERATED TWO JAR	Two Jar: Capacity: 9 + 9 Ltr. Dim 330x390x670mm. Voltage: 220V (Single Phase) Power: 280Watt. Net Wt.: 21kg. Temperature Range: 7°C ~ 12°C	
JD 9L 3	JUICE DISPENSER REFREGERATED THREE JAR	Three Jar: Capacity: 9 + 9 + 9 Ltr. Dimensions: 410x390x670mm. Voltage: 220V (Single Phase) Power: 280Watt. Net Wt.: 27kg. Temperature Range: 7°C ~ 12°C	
SM 10L 2	SLUSH MACHINE REFREGERATED TWO JAR	Two Jar: Capacity: 10 + 10 Ltr. Dimensions: 420x560x760mm. Voltage: 220V (Single Phase) Power: 400Watt. Net Wt.: 41kg. Temperature Range: -2°C ~ -3°C	
HCD 10L	HOT CHOCOLATE DISPENSER 10 LITRE	Capacity: 10 Ltr. Dimensions: 400x320x570mm. Voltage: 220V (Single Phase) Power: 450Watt. Net Wt.: 7kg. Temperature Range: 30°C ~ 90°C Digital Temperature Controller.	
CVM 2	TEA/ COFFEE VENDING MACHINE 2 LANE	Type: 2 Lane. For Premix Powder. Dispensing Rate: 4 cups per min. Dimensions: 13x14x18" Power: 2Kw.	Master Cap

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

HWD 10L HOT WATER
DISPENSER

10 LITRE

Capacity: 10 Ltr.
Full SS316 Interior Body And Tubes.
Water Flow: 35 Ltr per Hour.
Voltage: 220V (Single Phase)

Power: 2Kw.
Temperature Range: 30°C ~ 90°C



	PRODUCT LIST		
CODE	PRODUCT	DETAILS	IMAGE
BL R	ALISTER BLENDER	Dimensions: 10x12x17" Jar: 2Ltr. Power: 1200W. Variable Speed. High Performance. All spares available.	
BL ADV	ALISTER BLENDER ADVANCE	Dimensions: 8x10x20" Jar: 2Ltr. Power: 1800W. Variable Speed. High Performance. With Timer. All spares available.	
BL S	ALISTER SILENT BLENDER	Dimensions: 9x9x18" LCD Display. Power: 1600W. Variable Speed. High Performance. With Timer. With Soundproof Cabinet.	
BL SD	ALISTER SILENT BLENDER DIGITAL	Dimensions: 9x9x18" Digital Display. Jar: 1.2Ltr. Power: 1600W. With different pre-set settings. High Performance. With Timer. With Soundproof Cabinet.	
BL JTC TM 767	JTC BLENDER TM 767	Dimensions: 10x10x18" Jar: 2Ltr. Power: 1200W. Variable Speed. High Performance. All spares available.	
BL JTC TM 800 A SP	BLENDER JTC TM800A With Sound Proofer	Dimensions: 10x10x18" + Cover. Jar: 1.5Ltr. Power: 1200W. Variable Speed. High Performance. With Timer. With Sound Proofer.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

BL HBB 250 CE	BLENDER HAMILTON BLEACH RIO	Dimensions: 165x203x406 mm. Jar: 1.25Ltr. Power: 450W. Variable Speed. High Performance. All spares available.	- 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0
BL VIT DMA	BLENDER VITAMIX DRINK MACHINE ADVANCE	Dimensions: 203x229x449 mm. Jar: 0.9Ltr. Power: 850W. Variable Speed. High Performance. All spares available.	

	PRODUCT LIST		
CODE	PRODUCT	DETAILS	IMAGE
VCM 01	VEGETABLE CUTTING MACHINE WITH 5 BLADES	Dimensions: 26x13x21" Power: 1HP/0.75Kw. Net Weight: 26kg. Provided with 5 different size blades for slicing, dicing & grating.	
MM 08	MEAT MINCER MACHINE FULL STAINLESS STEEL 304	Mincing Capacity: 75kg/Hour. Dimensions: 335x175x325mm. Speed: 175rpm. Power: 250W. Full SS 304 Grade. Net Weight: 12kg. Provided SS Blades with 6mm & 8mm holes.	
MM 12	MEAT MINCER MACHINE FULL STAINLESS STEEL 304	Mincing Capacity: 150kg/Hour. Dimensions: 15x10x17mm. Speed: 170/200rpm. Power: 750W. Full SS 304 Grade. Net Weight: 26kg. Provided SS Blades with 6mm & 8mm holes.	
MM 22	MEAT MINCER MACHINE FULL STAINLESS STEEL 304	Mincing Capacity: 250kg/Hour. Dimensions: 440x270x385mm. Speed: 180/218rpm. Power: 850W. Full SS 304 Grade. Net Weight: 29kg. Provided SS Blades with 6mm & 8mm holes.	
SUJ DYN	SUJATA DYNAMIX MIXER 3 JAR	3 JAR MIXER Motor: 900Watt with double ball bearing. RPM: 22000rpm. Different jars provided for dry, wet & chutney grinding.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

SUJ FROOT	SUJATA FROOTMIX MIXER 1 JAR	1 JAR MIXER Motor: 900Watt with double ball bearing. RPM: 22000rpm. Single Jar machine specially for Blending & Juicing.	
FF CUTTER 1	FRENCH FRIES CUTTER TABLE MOUNT	Diameter: 13x6x25" 7x7 Holes. Weight: 4.5kg.	
FF CUTTER 2	FRENCH FRIES CUTTER WALL MOUNT	Diameter: 17x9x13" With 3 different blades. Weight: 5kg.	
TPC	TORNADO POTATO CUTTER	Diameter: 18x6x7" Weight: 2.5kg.	

	PRO	PAGE 14	
CODE	PRODUCT	DETAILS	IMAGE
CF 110 CEL	CHEST FREEZER 105 LTR	Dimensions: 22x22x33" No. of Basket: 1. Single Solid Door. Lock & Castors provided. Dual Temperature. Refrigerant: R600a. Power: 70Watt. Temperature Range: -24°C ~ +8°C	
CF 210 CEL	CHEST FREEZER 220 LTR	Dimensions: 36x22x33" No. of Basket: 1. Single Solid Door. Lock & Castors provided. Dual Temperature. Refrigerant: R600a. Power: 70Watt. Temperature Range: -24°C ~ +8°C	
CF 310 CEL	CHEST FREEZER 320 LTR	Dimensions: 39x29x33" No. of Basket: 1. Single Solid Door. Lock & Castors provided. Dual Temperature. Refrigerant: R290. Power: 132Watt. Temperature Range: -24°C ~ +8°C	
CF 460 CEL	CHEST FREEZER 425LTR	Dimensions: 49x29x34" No. of Basket: 1. Two Solid Doors. Lock & Castors provided. Dual Temperature. Refrigerant: R290. Power: 215Watt. Temperature Range: -24°C ~ +8°C	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

		-	
CF 560 CEL	CHEST FREEZER 525LTR	Dimensions: 61x29x34" No. of Basket: 2. Two Solid Doors. Lock & Castors provided. Dual Temperature. Refrigerant: R290. Power: 250Watt. Temperature Range: -24°C ~ +8°C	
CF CC 500 CEL	CHEST FREEZER HALF FREEZER HALF CHILLER 431 LTR (316F + 115C)	Dimensions: 60x30x36" No. of Basket: 1. Two Solid Doors. Lock & Castors provided. Dual Temperature. Refrigerant: R600a. Power: 200Watt. Temperature Range: -24°C ~ +8°C OTHER SIZES ALSO AVAILABLE IN THIS VARIANT.	
CF IKG 311 CEL	CHEST FREEZER FLAT GLASS DOOR 300 LTR	Dimensions: 40x27x32" No. of Basket: 1. Two Glass Doors. Lock & Castors provided. Refrigerant: R134a. Power: 240Watt. Temperature Range: -24°C ~ -18°C OTHER SIZES ALSO AVAILABLE IN THIS VARIANT.	
CF IKG 310C CEL	CHEST FREEZER CURVED GLASS DOOR 300 LTR	Dimensions: 41x27x32" No. of Basket: 2(QDI) + 2. Two Glass Doors. Lock & Castors provided. Refrigerant: R290. Power: 250Watt. Temperature Range: -24°C ~ -18°C	
CF IKG 410C CEL	CHEST FREEZER CURVED GLASS DOOR 400 LTR	Dimensions: 48x27x32" No. of Basket: 2(QDI) + 3. Two Glass Doors. Lock & Castors provided. Refrigerant: R290. Power: 250Watt. Temperature Range: -24°C ~ -18°C	

	PRODUCT LIST		PAGE 15
CODE	PRODUCT	DETAILS	IMAGE
VC FKG 230 CEL	VISI COOLER / BOTTLE COOLER 200 LTR	Dimensions: 20x23x60" No. of Shelves: 3. Single Glass Door. Lock & Castors provided. Refrigerant: R600a. Power: 152Watt.	Celfrost
VC FKG 330 CEL	VISI COOLER / BOTTLE COOLER 300 LTR	Dimensions: 22x24x71" No. of Shelves: 4. Single Glass Door. Lock & Castors provided. Refrigerant: R600a. Power: 165Watt.	
VC FKG 400 CEL	VISI COOLER / BOTTLE COOLER 400 LTR	Dimensions: 24x27x78" No. of Shelves: 4. Single Glass Door. Lock & Castors provided. Refrigerant: R134a. Power: 230Watt.	Temperature Range: 2~10°C

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

	•	WWW.be
VC FKG 671 CEL	VISI COOLER / BOTTLE COOLER 671 LTR	Dimensions: 31x26x74" No. of Shelves: 4. Single Glass Door. Lock & Castors provided. Power: 470Watt. Temperature Range: 2~10°C
VC FKG 1000 CEL	VISI COOLER / BOTTLE COOLER 1000 LTR	Dimensions: 47x28x78" No. of Shelves: 4+4. Two Glass Doors. Lock & Castors provided. Refrigerant: R134a. Power: 550Watt. Temperature Range: 2~10°C
WC W45 CEL	WINE COOLER 45 BOTTLE	Dimensions: 24x23x33" Capacity: 45 bottles of 750ml. No. of Wooden Shelves: 3+1. Single Tinted Glass Door. Cabinet Colour: Silver/Black. Interior Colour: Black. Interior Light: Yes. Power: 55Watt. Temperature Range: 5~18°C
WC W185 CEL	WINE COOLER 113/194 BOTTLE	Dimensions: 24x24x73" Capacity: 113/194 bottles of 750ml. No. of Wooden Shelves: 5+1. Single Tinted Glass Door. Lockable. Cabinet Colour: Silver/Black. Interior Colour: Black. Interior Light: Yes. Power: 170Watt. Temperature Range: 5~22°C

RATES:	The prices quoted above are Ex-Works pampri , Pune. Packaging & Forwarding Extra.	
PAYMENT:	100% advance at the time of order, before Dispatch.	
DELIVERY:	Stock position to be confirmed at the time of finalization of order.	
VALIDITY:	The prices may change or we may issue a new price-list without any prior notifications.	

<u>PRODUCT LIST</u>			PAGE 16
CODE	CODE PRODUCT DETAILS		IMAGE

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

	,	. Linan. dilitedenter prises 10 @gii	
BB 2D SS	STEEL BACK BAR REFRIGERATOR 2 DOOR	Dimensions: 35x21x34" Stainless Steel Outer Body. Digital Temperature Controller. Temperature Range: 0~10°C	
BB 3D SS	STEEL BACK BAR REFRIGERATOR 3 DOOR	Dimensions: 54x21x34" Stainless Steel Outer Body. Digital Temperature Controller. Temperature Range: 0~10°C	
BB 2D BL CEL	CELLFROST BLACK BACK BAR REFRIGERATOR 2 DOOR	Dimensions: 35x21x34" Stainless Steel Outer Body. Digital Temperature Controller. Temperature Range: 0~10°C	TOUGH STATE OF THE
BB 3D BL CEL	CELLFROST BLACK BACK BAR REFRIGERATOR 3 DOOR	Dimensions: 54x21x34" Stainless Steel Outer Body. Digital Temperature Controller. Temperature Range: 0~10°C	THE PROPERTY OF THE PROPERTY O
GW EGM4 WP	GLASS WASHER UNDER COUNTER WHIRLPOOL	Rack size: 40x40cm. Voltage: 230v. No of cycle: 1 (120 sec). Power: 2.97K Auto hot water rinse/Electromechanic Water consumption: 2 Ltr per cycle. Dimensions: 465x515x695mm. Included Equipments: 1 Glass Basket & 1 Spoon Holder.	cal.
CS 900	COCKTAIL STATION & LIQUOR RAIL	Dimensions: 35x24+4+4x32+4" Insulated Tank with Removable Three Partitions for Ice Cubes and Crushed Ice. Perforated Base and Separate system for water drain out. Removable Insulated Lid. SS Thickness: 16 & 18swg.	
DB 600/ DB WR 600	DRAIN BOARD & LIQUOR RAIL / DRAIN BOARD WITH RINSER & LIQUOR RAIL	Dimensions: 24x24+4x32+4" Removable Perforated Inverted Tray Top. 1 Under-Shelf. Tray type Base for storing spillage. Separate arrangement for drain out. SS Thickness: 16 & 18swg.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

WS 1500

WORK STATION WITH BIN

Dimensions: 59x27x32+4"
Work Table with Sink.
With Chopping Board.
With Perforated Top with Drain
below. With Garbage Chute.
With SS Bin & 2 Flexible Faucets.



PRODUCT LIST			PAGE 17
CODE	PRODUCT	DETAILS	IMAGE
UCC 1200A	PUNE KITCHEN SS UNDER-COUNTER REFRIGERATOR 4 FT	Dimensions: 48x30x32" Embraco/Emerson Compressor. Digital Temperature Controller. Static cooling. Spring Control Doors. Temperature Range: 0 to 10°C	
UCC 1500A	PUNE KITCHEN SS UNDER-COUNTER REFRIGERATOR 5 FT	Dimensions: 60x30x32" Embraco/Emerson Compressor. Digital Temperature Controller. Static cooling. Spring Control Doors. Temperature Range: 0 to 10°C	AND THE PARTY OF T
UCF 1800A	PUNE KITCHEN SS UNDER-COUNTER FREEZER 5 FT	Dimensions: 60x30x32" Embraco/Emerson Compressor. Digital Temperature Controller. Static cooling. Spring Control Doors. Temperature Range: -5 to -15 C	STATE OF THE PARTY
UCC 1800A	PUNE KITCHEN SS UNDER-COUNTER REFRIGERATOR 6 FT	Dimensions: Inches: 72x30x32" Embraco/Emerson Compressor. Digital Temperature Controller. Static cooling. Spring Control Doors. Temperature Range: 0 to 10°C	AUIT
OHSR 1200 OHSR 1500 OHSR 1800	SS TWIN OVER-HEAD SHELVES	Dimensions: 48x12x28" Dimensions: 60x12x28" Dimensions: 72x12x28"	
VC 4D	PUNE KITCHEN SS FOUR DOOR VERTICAL CHILLER	Dimensions: 48x30x80" Embraco /Emerson Compressor. Digital Temperature Controller. Static cooling. Spring Control Doors. Temperature Range: 0 to 10°C	ALISSE EXTENS

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

VF 4D PUNE KITCHEN
SS FOUR DOOR
VERTICAL
FREEZER

Dimensions: 48x30x80"
Embraco/Emerson Compressor.
Digital Temperature Controller.
Static cooling.
Spring Control Doors.
Temperature Range: -5 to -15°C



	<u>PRODU</u>	PAGE 18	
CODE	PRODUCT	DETAILS	IMAGE
VC 2D CEL	CELFROST SS TWO DOOR VERTICAL CHILLER TEMP RANGE: 2 to 8°C	Dimensions: 740x830x2010mm Inches approx.: 30x33x80" Volume: 650 Ltr. Input Power for Chiller: 375Watt. Input Power for Freezer: 800Watt. Refrigerant: R290. Shelves: 3. Digital Temperature Controller. VENTILATED COOLING.	-
VF 2D CEL	CELFROST SS TWO DOOR VERTICAL FREEZER TEMP RANGE: -18 to -22°C		GN 700 TNME / GN 700 BTME
VC 2D CEL	CELFROST SS FOUR DOOR VERTICAL CHILLER TEMP RANGE: 2 to 8°C	Dimensions: 1480x830x2010mm Inches approx.: 59x33x80" Volume: 1300 Ltr. Input Power for Chiller: 800Watt.	
VF 2D CEL	CELFROST SS FOUR DOOR VERTICAL FREEZER TEMP RANGE: -18 to -22°C	Input Power for Freezer: 1060Watt. Refrigerant: R290. Shelves: 6. Digital Temperature Controller. VENTILATED COOLING.	GN 1500 TNME / GN 1500 BTME
UCC 2D CEL	CELFROST SS UNDER-COUNTER CHILLER TWO DOOR TEMP RANGE: 2 to 8°C	Dimensions: 1360x700x850mm Inches approx.: 54x28x34" Volume: 282 Ltr. Input Power for Chiller: 375Watt.	The state of the s
UCF 2D CEL	CELFROST SS UNDER-COUNTER FREEZER TWO DOOR TEMP RANGE: -10 to -20°C	Input Power for Freezer: 800Watt. Refrigerant: R600a. Shelves: 2. Digital Temperature Controller. VENTILATED COOLING.	GN 2200 TNE / GN 2200 BTE
UCC 3D CEL	CELFROST SS UNDER-COUNTER CHILLER THREE DOOR TEMP RANGE: 2 to 8°C	Dimensions: 1795x700x850mm Inches approx.: 71x28x34" Volume: 417 Ltr. Input Power for Chiller: 375Watt. — Input Power for Freezer: 880Watt.	
UCF 3D CEL	CELFROST SS UNDER-COUNTER FREEZER THREE DOOR TEMP RANGE: -10 to -20°C	Refrigerant: R600a. Shelves: 3. Digital Temperature Controller. VENTILATED COOLING.	GN 3200 FTE

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

CBM PSS 200 CEL	CELFROST PREP COUNTER / COLD BAIN MARIE TWO DOOR TEMP RANGE: 2 to 8°C CAPACITY: 5 x 1/6 GN PANS	Dimensions: 900x700x1000mm Inches approx.: 36x28x40" Volume: 240 Ltr. Input Power for Chiller: 335Watt. Refrigerant: R134a. Shelves: 2. Digital Temperature Controller. VENTILATED COOLING.	PSS 200
CBM PSS 300 CEL	CELFROST PREP COUNTER / COLD BAIN MARIE THREE DOOR TEMP RANGE: 2 to 8°C CAPACITY: 8 x 1/6 GN PANS	Dimensions: 1368x700x1000mm Inches approx.: 54x28x40" Volume: 360 Ltr. Input Power for Chiller: 495Watt. Refrigerant: R134a. Shelves: 2. Digital Temperature Controller. VENTILATED COOLING.	

		PAGE 19	
CODE	PRODUCT	DETAILS	IMAGE
WC 20 G	WATER COOLER 20 LITRE	Dimensions: 400x400x1050mm; 16x16x42". Capacity: Storage: 20 Ltr. Cooling: 20 Ltr/Hr. Copper Tubing: Size 3/8"; Length 20ft. Branded Compressor. Stainless Steel Body. Lockable Door. Single Tap. Weight: 27kg.	
WC 40 G	WATER COOLER 40 LITRE	Dimensions: 420x475x1235mm; 17x18x48". Capacity: Storage: 40 Ltr. Cooling: 40 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 3/8"; Length 20ft. Lockable Door. Two Taps. Weight: 32kg.	
WC 60 G	WATER COOLER 60 LITRE	Dimensions: 445x570x1235mm; 18x23x48". Capacity: Storage: 60 Ltr. Cooling: 40 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 3/8"; Length 25ft. Lockable Door. Two Taps. Weight: 36kg.	
WC 80 G	WATER COOLER 80 LITRE	Dimensions: 445x670x1235mm; 18x27x48". Capacity: Storage: 80 Ltr. Cooling: 40 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 3/8"; Length 50ft. Lockable Door. Two Taps. Weight: 46kg.	
WC 100 G	WATER COOLER 110 LITRE	Dimensions: 510x820x1260mm; 20x33x50". Capacity: Storage: 110 Ltr. Cooling: 60 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 3/8"; Length 50ft.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Lockab	ole Door. Two Taps. Weight:	51kg.	
		3	of the
		4	
			- 1
			1
		•	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

WC 150 G	WATER COOLER 150 LITRE	Dimensions: 510x820x1260mm; 20x33x50". Capacity: Storage: 150 Ltr. Cooling: 120 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 1/2"; Length 80ft. Lockable Door. Three Taps. Weight: 59kg.	
WC 200 G	WATER COOLER 200 LITRE	Dimensions: 625x875x1260mm; 25x35x50". Capacity: Storage: 200 Ltr. Cooling: 150 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 1/2"; Length 95ft. Lockable Door. Four Taps. Weight: 64kg.	
WC 300 G	WATER COOLER 300 LITRE	Dimensions: 705x1105x1400mm; 28x44x56". Capacity: Storage: 300 Ltr. Cooling: 200 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 1/2"; Length 120ft. Lockable Door. Five Taps. Weight: 70kg.	
WC 450 G	WATER COOLER 450 LITRE	Dimensions: 925x1305x1600mm; 37x52x63". Capacity: Storage: 450 Ltr. Cooling: 300 Ltr/Hr. Branded Compressor. Stainless Steel Body. Copper Tubing: Size 1/2"; Length 150ft. Lockable Door. Five Taps. Weight: 78kg.	

RATES:	The prices quoted above are Ex-Works Pisoli - Undri, Pune. Packaging & Forwarding Extra.	
PAYMENT:	PAYMENT: 100% advance at the time of order, before Dispatch.	
DELIVERY: Stock position to be confirmed at the time of finalization of order.		
VALIDITY:	The prices may change or we may issue a new price-list without any prior notifications.	

	<u>PRODL</u>	PAGE 20	
CODE	PRODUCT	DETAILS	IMAGE
GB 1 BULK	SINGLE BURNER GAS RANGE FOR BULK COOKING	Dimensions: 24x24x15" Branded Burner and Fittings. CI Pan Supports. SS Thickness: 16 & 18swg.	
GB1	SINGLE BURNER GAS RANGE WITH SPLASH-BACK	Dimensions: 24x24x32+6" With 1 Under-Shelf. With Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray. SS Thickness: 16 & 18swg.	
GB2	TWO BURNER GAS RANGE WITH SPLASH-BACK	Dimensions: 45x24x32+6" With 1 Under-Shelf. With Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray. SS Thickness: 16 & 18swg.	
GB3	THREE BURNER GAS RANGE WITH SPLASH-BACK	Dimensions: 66x24x32+6" With 1 Under-Shelf. With Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray.	0 0 0

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Pn. +	91 9766641022, 9860125	383. Email: <u>unitedenterprises18@gma</u>	ii.com website: www.p
		SS Thickness: 16 & 18swg.	
GB4 GB4 OVEN	FOUR BURNER GAS RANGE	Dimensions: 32x32x32+6" With 1 Under-Shelf. With Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray.	
GB4 OVEN IMP	WITH SPLASH-BACK	SS Thickness: 16 & 18swg. ALSO AVAILABLE WITH ELECTRIC OVEN.	
GB6	SIX BURNER GAS RANGE WITH SPLASH-BACK	Dimensions: 48x32x32+6" With 1 Under-Shelf. With Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray. SS Thickness: 16 & 18swg.	
GBC1	SINGLE BURNER CHINESE GAS RANGE WITH 15" SPLASH-BACK	ALSO AVAILABLE WITH ELECTRIC OVEN. Dimensions: 28x28x30+15" 1 Under-Shelf. With High Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray. SS Thickness: 16 & 18swg.	
GBC2	TWO BURNER CHINESE GAS RANGE WITH 15" SPLASH-BACK	Dimensions: 48x28x30+15" 1 Under-Shelf. With High Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray. SS Thickness: 16 & 18swg.	
GBC2+1	TWO + ONE BURNER CHINESE GAS RANGE WITH 15" SPLASH-BACK	Dimensions: 54x30x30+15" 1 Under-Shelf. With High Splash-Back. Branded Burner and Fittings. CI Pan Supports. SS Drip Tray. SS Thickness: 16 & 18swg.	

	<u>PROD</u>	PAGE 21	
CODE	PRODUCT	DETAILS	IMAGE
DB G TT	TABLE TOP GAS DOSA BHATTI WITH 3 SIDE SKIRTING	Dimensions: 27x18x15+2" 10mm MS Plate on top. 3 side skirting. Branded Burner and Fittings.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: <u>unitedenterprises18@gmail.com</u> Website: <u>www.pu</u>			
DB G 36	GAS DOSA BHATTI - 3 FT WITH 3 SIDE SKIRTING WITH 1 UNDER SHELF	Dimensions: 36x24x32+3" With 3 side skirting. Branded Burner and Fittings. 10mm MS Plate on top. SS Oil Drip Tray. SS Thickness: 16 & 18swg.	
DB G 48	GAS DOSA BHATTI - 4 FT WITH 3 SIDE SKIRTING WITH 1 UNDER SHELF	Dimensions: 48x24x32+3" With 3 side skirting. Branded Burner and Fittings. 10mm MS Plate on top. SS Oil Drip Tray. SS Thickness: 16 & 18swg.	
CB G 45	GAS CHAPATI BHATTI WITH PUFFER WITH 1 UNDER SHELF	Dimensions: 45x24x32+3" With Puffer Plate. Branded Burner and Fittings. 10mm MS Plate on top. SS Oil Drip Tray. SS Thickness: 16 & 18swg.	
GP G PL		Dimensions: 32x32x32+3"	
GP G HG	GAS GRIDDLE PLATE WITH 3 SIDE SKIRTING WITH 1 UNDER SHELF	With 3 side skirting. Branded Burner and Fittings. 10mm MS Plate on top. SS Oil Drip Tray. SS Thickness: 16 & 18swg.	
LRG 36	LAVA ROCK GRILL WITH SS PIPE STAND WITH 3 SIDE SKIRTING WITH 1 UNDER SHELF	Dimensions: 36x30x34+4" With 3 side skirting. Double Jali on Top. Branded Burner and Fittings. 3kg Lava Rock Provided. SS Oil Drip Tray. SS Thickness: 16 & 18swg.	00000
GRL1	ONLY GRILL	Dimensions: 450x170mm.	
TAN SQ 32	SS TANDOOR INSULATED SQUARE	Dimensions: 32x32x40" Granite/SS Top. With Heat Insulation. With Heavy duty wheels. Wooden Panelling Optional.	
TAN SQ 36	SS TANDOOR INSULATED SQUARE	Dimensions: 36x36x40" Granite/SS Top. With Heat Insulation. With Heavy duty wheels. Wooden Panelling Optional.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

111.		5383. Email: <u>unitedenterprises18@gn</u> OUCT LIST	PAGE 22
CODE	PRODUCT	DETAILS	IMAGE
WT 600	SS WORK TABLE WITH 2 U/S	Dimensions: 600x600x850mm Inches: 24x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
WT 900	SS WORK TABLE WITH 2 U/S	Dimensions: 900x600x850mm Inches: 36x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
WT 1200	SS WORK TABLE WITH 2 U/S	Dimensions: 1200x600x850mm Inches: 48x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
WT 1500	SS WORK TABLE WITH 2 U/S	Dimensions: 1500x600x850mm Inches: 60x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	CONTROL OF THE PROPERTY OF THE
WT 1800	SS WORK TABLE WITH 2 U/S	Dimensions: 1800x600x850mm Inches: 72x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
CWT 1500	SS CABINET STYLE WORK TABLE	Dimensions: 1500x750x800mm Inches: 60x30x32" 3 side covered, Front Sliding Door. SS Thickness: 16 & 18swg.	
WT SB 600	SS WORK TABLE WITH 2 U/S WITH SPLASH-BACK	Dimensions: 600x600x850mm Inches: 24x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
WT SB 900	SS WORK TABLE WITH 2 U/S WITH SPLASH-BACK	Dimensions: 900x600x850mm Inches: 36x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	ASIDS
WT SB 1200	SS WORK TABLE WITH 2 U/S WITH SPLASH-BACK	Dimensions: 1200x600x850mm Inches: 48x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
WT SB 1500	SS WORK TABLE WITH 2 U/S WITH SPLASH-BACK	Dimensions: 1500x600x850mm Inches: 60x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	17366
WT SB 1800	SS WORK TABLE WITH 2 U/S WITH SPLASH-BACK	Dimensions: 1800x600x850mm Inches: 72x24x34" 2 Under-Shelves. SS Thickness: 16 & 18swg.	
OHS 900		Dimensions: 36x12x30"	
OHS 1200	SS TWIN OVERHEAD	Dimensions: 48x12x30"	
OHS 1500	SHELF	Dimensions: 60x12x30"	
OHS 1800 DLT 1200	SS DISH LANDING TABLE	Dimensions: 72x12x30" Dimensions: 1200x600x850+100mm Inches: 48x24x34+4" SS Thickness: 16 & 18swg.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

DLT 1450		Dimensions: 1450x600x850+100mm Inches: 58x24x34+4" SS Thickness: 16 & 18swg.	
DLT DEEP	SS DEEP DISH LANDING TABLE	Dimensions: 1500x750x850mm Inches: 60x30x34" SS Thickness: 16 & 18swg.	

	PROI	PAGE 23	
CODE	PRODUCT	DETAILS	IMAGE
SINK1	SS SINGLE SINK UNIT WITH SPLASH-BACK	Dimensions: 600x600x850+150mm. Inches: 24x24x34+6" Bowl Size: 17.5x16x9.5"(deep) With Splash-back. SS Thickness: 16 & 18swg.	
SINK WT	SS WORK TABLE WITH SINK WITH SPLASH-BACK	Dimensions: 1200x600x850+150mm. Inches: 48x24x34+6" Bowl Size: 19.5x16x9.5"(deep) Bowl on RHS & LHS both available. With Splash-back. SS Thickness: 16 & 18swg.	
SINK2	SS TWO SINK UNIT WITH SPLASH-BACK	Dimensions: 1200x600x850+150mm. Inches: 48x24x34+6" Bowl Size: 19.5x16x9.5"(deep) With Splash-back. SS Thickness: 16 & 18swg.	
SINK3	SS THREE SINK UNIT WITH SPLASH-BACK	Dimensions: 1800x600x850+150mm. Inches: 72x24x34+6" Bowl Size: 19.5x16x9.5"(deep) With Splash-back. SS Thickness: 16 & 18swg.	
SINK POT	SS POT SINK WITH SPLASH-BACK	Dimensions: 1000x700x850+150mm. Inches: 40x28x34+6" Bowl Size: 34x20x8"(deep) With Splash-back. SS Thickness: 16 & 18swg.	
SINK WALL 450	WALL MOUNTED SINK PUSH TYPE	Dimensions: 450x450x240+35mm. Inches: 18x18x1.5" Push type operating for convenience. SS Thickness: 16 & 18swg.	
GT01	SS GREASE TRAP	Dimensions: 400x250x240mm. Inches: 16x10x10" Single Inlet Hole.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

GT	02	The purpose of a grease trap is to reduce the	Dimensions: 500x300x290mm.	
0.	02	amount of fats, oils and	Inches: 20x12x12" Double Inlet Hole.	- 14
		greases to enter the main	Dimensions: 600x410x310mm.	•
GT	·03	sewers & avoid blockages,	Inches: 24x16x12" Triple Inlet Hole.	
	03	foul odours and pest infestation due to it.		PVC Drain Pipe & Ball Valve Included.
WS	PIPE		Dimensions: 600x300mm.	
60	00		Inches: 24x12"	
WS	PIPE	WALL SHELF	Dimensions: 900x300mm.	222
90	00	FOR ABOVE SINK	Inches: 36x12"	
WS	PIPE		Dimensions: 1200x300mm.	
12	200		Inches: 48x12"	
DC	CS	DRAIN COVER STANDARD	Dimensions: 580x195x30mm Inches: 22.8 x 7.7x1" SS Thickness: 1.2mm	

PRODUCT LIST			PAGE 24
CODE	PRODUCT	DETAILS	IMAGE
RAC POT 1200	SS POT RACK	Dimensions: 1200x500x1550mm. Inches: 48x20x62" Four Shelves. SS Thickness: 16 & 18swg.	
RAC POT 1500	33 FOT RACK	Dimensions: 1500x500x1550mm. Inches: 60x20x62" Four Shelves. SS Thickness: 16 & 18swg.	
RAC STO 1200		Dimensions: 1200x500x1800mm. Inches: 48x20x72" Five Shelves. SS Thickness: 16 & 18swg.	
RAC STO 1500	SS STORAGE RACK	Dimensions: 1500x500x1800mm. Inches: 60x20x72" Five Shelves. SS Thickness: 16 & 18swg.	
WS 600		Dimensions: 600x300mm. Inches: 24x12"	150
WS 900		Dimensions: 900x300mm. Inches: 36x12"	
WS 1200	WALL SHELF	Dimensions: 1200x300mm. Inches: 48x12"	
WS 1500		Dimensions: 1500x300mm. Inches: 60x12"	
WS 1800		Dimensions: 1800x300mm. Inches: 72x12"	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

WSF 900	WALL SHELF FOLDABLE	Dimensions: 900x300mm. Inches: 36x12" Dimensions: 1200x300mm.	
1200	. 0 - 27 / 2 - 2	Inches: 48x12"	
VMT 14		Dimensions: 14x16x60" Capacity: 100kg.	
VMT 24	VEGETABLE MESHWIRE TROLLEY	Dimensions: 24x21x60" Capacity: 150kg.	
VMT 36	FOUR BASKETS	Dimensions: 36x21x67" Capacity: 200kg.	
VMT 48		Dimensions: 48x21x67" Capacity: 250kg.	
OPMT SML	ONION POTATO MESHWIRE TROLLEY	Dimensions: 15x15x30" Capacity: 50kg. SS Trolley with Partition & Wheels.	
OPT BIG		Dimensions: 24x24x30" Capacity: 100kg. SS Trolley with Partition & Wheels.	
PVC CT	SS RACK TROLLEY FOR PVC CRATES	Dimensions: 19X25X72" SS Trolley with wheels. 7 or 9 Tray Racks as per requirement. Assorted Plastic Crate.	

PRODUCT LIST			PAGE 25
CODE	PRODUCT	DETAILS	IMAGE
EX H 40		Dimensions: 1000x1000x500mm. Inches: 40x40x20" SS Thickness: 20 & 22swg. With Removable Filter & Oil collection tray.	
EX H 52	SS EXHAUST HOOD WITH FILTER	Dimensions: 1300x1000x500mm. Inches: 52x40x20" SS Thickness: 20 & 22swg. With Removable Filter & Oil collection tray.	
EX H 76		Dimensions: 1900x1000x500mm. Inches: 76x40x20" SS Thickness: 20 & 22swg. With Removable Filter & Oil collection tray.	·
EX BL 1HP 1440		Motor: 1HP. RPM: 1440rpm. Velocity: 1600CFM. Static Pressure: 50mmWG.	
EX BL 3HP 960	EXHAUST BLOWER	Motor: 3HP. RPM: 960rpm. Velocity: 4500CFM. Static Pressure: 50mmWG.	
EX BL 5HP 960	WITH CROMPTON MOTOR	Motor: 5HP. RPM: 960rpm. Velocity: 7000CFM. Static Pressure: 50mmWG.	
EX BL 7HP 960		Motor: 7.5HP. RPM: 960rpm. Velocity: 12000CFM. Static Pressure: 50mmWG	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

EX DUCT	DUCTING WORK / GI DUCTING (for Exhaust / Fresh Air)	Calculations are done as per the total number of sheets used for the whole line. Per sheet size is 8'x4' (32 sq. ft.) Total cost will be calculated as per square feet. All material used for duct making are included in the price. Any additional work such as scaffolding or stands & fixtures should be provided by the customer.	
EX VCD 300	VOLUME CONTROL DAMPER	Dimension: 300x300mm. Used to start or stop the flow for any particular hood.	
EX GRILL	GRILL	Grill is used at the outlet of air to adjust the air direction.	
EX FAF	FRESH AIR FILTER	Filter to be used at the inlet of fresh air to prevent dust and particles entering the kitchen.	

	<u>PRODUCT LIST</u>		
CODE	PRODUCT	DETAILS	IMAGE
ENTRY	ENTRY TABLE WITH SINK WITH SPLASH-BACK	Dimensions: 54x30x34+6" With Splash-back. SS Thickness: Top 16swg, Body 18swg. Bowl Size: 16x16x8"Deep.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

PSF DM	PRE-RINSE FAUCET DECK MOUNTED	Make: T&S. Model: EX-1DP00-H. Deck mounted mixing faucet with polished chrome plated brass body, 24" riser, 44" flexible stainless steel hose, heat resistant handle, 6" wall bracket, spray valve holder and overhead spring.	
EXIT	EXIT TABLE WITH SPLASH-BACK	Dimensions: 36x30x34+6" With Splash-back. With rails to keep baskets. SS Thickness: Top 16swg &18swg.	
DW HT ECM 532U	HOOD TYPE DISH WASHER WHIRLPOOL	Rack size: 50x50cm. Mechanical Panel. Power: 400V 50hz THREE PHASE. Power: 6.75 Kw. Rinse Aid pump. Hot Water Automatic Rinse & Double Filter. No of cycles: 2 (120/180 sec) Water consumption 3ltr per cycle. Included Equipment: 1 basket for 18 dishes, 1 universal basket & 1 tea spoon rack. Dimensions: 655x770x1480(1915)mm.	CORR



DW UC EDM 5U UNDER-COUNTER DISH WASHER WHIRLPOOL Rack size: 50x50cm. Voltage: 230v Single Phase.
No of cycle: 1 (120 sec). Power: 3.97Kw.
Water consumption: 2.5 Ltr per cycle.
Dimensions: 565x610x825mm. Electromechanical.
Included Equipments:

2 Dish Baskets for 18 Dishes & 1 Cutlery Holder.





DUAL GLASS RINSER
Dimensions: 645x217x24mm.
₹. 15,500.00 + GST 18%



WATER STATION WITH RINSER
Dimensions: 454x270x26mm.
₹. 13,000.00 + GST 18%



JAR RINSER
Dim: 354 Height x 150mm Dia.
₹. 10,000.00 + GST 18%

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

PRODUCT LIST			PAGE 27
CODE	PRODUCT	DETAILS	IMAGE
ICM 24 AGB02 2 WP	ICE CUBE MACHINE 24kg WHIRLPOOL	Ice production (kg/24h): 24 Kg. Condenser type: Air. Defrost type: Hot gas. Static Evaporator. Ice Shape: Dice. Ice Storage Capacity: 10 Kg. Cycle Time: 15 min. Inbuilt Storage Bin.	
ICM 40 AGB02 4 WP	ICE CUBE MACHINE 40kg WHIRLPOOL	Ice production (kg/24h): 40 Kg. Condenser type: Air. Defrost type: Hot gas. Static Evaporator. Ice Shape: Dice. Ice Storage Capacity: 20 Kg. Cycle Time: 15 min. Inbuilt Storage Bin.	
ICM 80 ADN11 6 WP	ICE CUBE MACHINE 80kg WHIRLPOOL	Ice production (kg/24h): 80 Kg. Condenser type: Air. Defrost type: Hot gas. Static Evaporator. Ice Shape: Dice. Ice Storage Capacity: 35 Kg. Cycle Time: 15 min. Inbuilt Storage Bin.	
ICM 90 AGS84 6 WP	BULLET ICE ICE CUBE MACHINE 90kg WHIRLPOOL	Ice production (kg/24h): 90 Kg. Ice Shape: BULLET ICE. Condenser type: Air. Defrost type: Hot gas. Static Evaporator. Ice Storage Capacity: 35 Kg. Cycle Time: 15 min. Inbuilt Storage Bin.	
ICM 100 NU220 SCOTS	ICE CUBE MACHINE 100kg SCOTSMAN	Ice production (kg/24h): 100 Kg. Ice Storage Capacity: 37 Kg. Inbuilt Storage Bin. Ice Shape: Dice. Thickness of ice: 22x22x22mm.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

ICM
150
ADN11
8 WP
ICE CUBE MACHINE
150kg
WHIRLPOOL

Ice production (kg/24h): 150 Kg.
Condenser type: Air.
Defrost type: Hot gas.
Static Evaporator.
Ice Storage Capacity: 75 Kg.
Cycle Time: 15 min.
Inbuilt Storage Bin.



		PAGE 28	
CODE	PRODUCT	DETAILS	IMAGE
COM OV AFO 605 WP	WHIRLPOOL COMBI CONVECTION OVEN AFO 605	Make: Whirlpool. Model: AFO 605. Capacity: 5 GN Pans of size 1/1. Also compatible with Baking Tray 400x600mm. Convection and combi direct steam oven. Perfect for catering and pastry. Oven chamber with rounded corners for easy cleaning. Electronic control with digital display. 3 cooking phases. One piece die cast bottom. Auto reversing fan. Internal lighting. Snap fit seal on oven chamber. Double glazed pull down door. Manual humidity control. 20 programmes. 75 mm height between shelves.	
COM OV GS2 511 BF	BAKEOFF COMBI OVEN BEST FOR	Make: Bakeoff. Model: Gourmet Star 511. Capacity: 5 GN Pans of size 1/1. Smart Digital Control with inbuilt programmes. Can insert external recipes through Pen drive. 65mm height between shelves. Dimensions: 715x795x675mm. Electric Operated. Connected load: 5Kw.	STATE OF STA
COM OV C1.06E CEL	HOUNO COMBI OVEN AFO 605	Make: Houno. Model: C1.06E. Capacity: 6 GN Pans of size 1/1. Smart Digital Control with inbuilt programmes. Can insert external recipes through Pen drive. 65mm height between shelves. Dimensions: 899x831x795mm. Electric Operated. Connected load: 9Kw.	Vend Cultry

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

COM OV CMP61E RAT	RATIONAL COMBI OVEN CMP-61E	Make: Rational. Model: CMP-61E. Capacity: 6 GN Pans of size 1/1. Dimensions: 845x770x782mm Water connection (pressure hose): 3/4"/d 1/2". Water drain: DN 50 mm. Electric Operated. Connected load: 11Kw.	TOTO CONTRACTOR OF THE PARTY OF
COM OV SCC61E RAT	RATIONAL COMBI OVEN SCC-61E	Make: Rational. Model: SCC-61E. Capacity: 6 GN Pans of size 1/1. Smart Digital Control with inbuilt programmes. Can insert external recipes through Pen drive. Dimensions: 845x770x782mm. Water connection (pressure hose): 3/4"/d 1/2". Electric Operated. Connected load: 11Kw.	
cos	COMBI OVEN STAND	Dimensions: 880x780x800mm Inches: 35x31x32" Arrangement for GN Pans storage. SS Thickness: Top 16swg &18swg.	

	<u>PF</u>	PAGE 29	
CODE	PRODUCT	DETAILS	IMAGE
MW K WP	WHIRLPOOL SOLO	Capacity: 20 Ltr. Turntable Dia.: 245mm. Dimensions: 352x262x455mm.	
MW D WP	MICROWAVE OVEN	Power: 700 Watt. Weight: 11 Kg. Voltage: 230V/50Hz	mygal District Control of the Contro
CM WP PRO 25 IX	WHIRLPOOL COMMERCIAL MICROWAVE OVEN	Capacity: 25 Ltr. Power: 1000 Watt. Outer Dimensions: 511x431x311mm. Cavity Dimensions: 327x346x200mm. Voltage: 220V. Storage Program: 10+10. Maximum Cooking Time: 60.00 Digital Timer: 90min. Side Opening. Automatic Programs. 5 Power Levels.	#5530 # 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9/66641022, 9860125383. Email: <u>unitedenterprises18@gmail.com</u> Website: <u>www.p</u>				
СМ ММ	MENU MASTER COMMERCIAL MICROWAVE OVEN	Capacity: 25 Ltr. Power: 1000 Watt. Outer Dimensions: 508x419x311mm. Cavity Dimensions: 330x330x196mm. Voltage: 220V. Storage Program: 20. Maximum Cooking Time: 60.00 Three Stages of Cooking. Side Opening. Automatic Programs. 5 Power Levels.	8888 0 124 1	
RC WA22H PS	PANASONIC STEAMER RICE COOKER 2.2L 2B	Dimensions: 10x9x15". With 2 Baskets. Size: 2.2 Ltr. Rice Capacity: 1.25Kg. Comes with Anodized Aluminium Pan & Double Deck Steamer. Auto Cooking. 5 Hours Keep Warm Function.		
RC SR942D PS	PANASONIC STEAMER RICE COOKER 4.2L	Dimensions: 17x12x8". Size: 4.2 Ltr. Rice Capacity: 2.5Kg. Comes with Anodized Aluminium Pan. Auto Cooking Feature. 5 Hours Keep Warm Function.		
RC SR 942DS PS	PANASONIC STEAMER RICE COOKER 4.2L 1B	Dimensions: 17x12x13". With 1 Basket. Size: 4.2 Ltr. Rice Capacity: 2.5Kg. Comes with Anodized Aluminium Pan. Auto Cooking Feature. 5 Hours Keep Warm Function.		
RC SR942D SS PS	PANASONIC STEAMER RICE COOKER 4.2L 2B	Dimensions: 17x12x17". With 2 Baskets. Size: 4.2 Ltr. Rice Capacity: 2.5Kg. Comes with Anodized Aluminium Pan. Auto Cooking Feature. 5 Hours Keep Warm Function.		
RC SR972D PS	PANASONIC STEAMER RICE COOKER 7.2L	Dimensions: 20x20x14". Size: 7.2 Ltr. Rice Capacity: 4.5Kg. Comes with Anodized Aluminium Pan. Auto Cooking Feature. 5 Hours Keep Warm Function.		

		PAGE 30			
CODE	SIZE	DEPTH	DETAILS	IMAGE	
GN11 65	GN PAN 1/1	65mm	Dimension: 21x13x2.5" Capacity: 9.5 Litres		

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: <u>unitedenterp</u>				
GN11 100	GN PAN 1/1	100mm	Dimension: 21x13x4" Capacity: 12.5 Litres	
GN11 150	GN PAN 1/1	150mm	Dimension: 21x13x6" Capacity: 20 Litres	
GN11 200	GN PAN 1/1	200mm	Dimension: 21x13x8" Capacity: 28 Litres	
GN12 65	GN PAN 1/2	65mm	Dimension: 13x10.5x2.5" Capacity: 4 Litres	
GN12 100	GN PAN 1/2	100mm	Dimension: 13x10.5x4" Capacity: 6 Litres	
GN12 150	GN PAN 1/2	150mm	Dimension: 13x10.5x6" Capacity: 9.2 Litres	
GN12 200	GN PAN 1/2	200mm	Dimension: 13x10.5x8" Capacity: 12 Litres	
GN13 65	GN PAN 1/3	65mm	Dimension: 13x7x2.5" Capacity: 2.4 Litres	
GN13 100	GN PAN 1/3	100mm	Dimension: 13x7x4" Capacity: 3.5 Litres	
GN13 150	GN PAN 1/3	150mm	Dimension: 13x7x6" Capacity: 5.5 Litres	
GN13 200	GN PAN 1/3	200mm	Dimension: 13x7x8" Capacity: 7.5 Litres	
GN14 65	GN PAN 1/4	65mm	Dimension: 11x7x2.5" Capacity: 1.7 Litres	
GN14 100	GN PAN 1/4	100mm	Dimension: 11x7x4" Capacity: 2.5 Litres	
GN14 150	GN PAN 1/4	150mm	Dimension: 11x7x6" Capacity: 4 Litres	
GN16 65	GN PAN 1/6	65mm	Dimension: 6x7x2.5" Capacity: 1 Litres	
GN16 100	GN PAN 1/6	100mm	Dimension: 6x7x4" Capacity: 1.5 Litres	
GN16 150	GN PAN 1/6	150mm	Dimension: 6x7x6" Capacity: 2.2 Litres	
GN19 65	GN PAN 1/9	65mm	Dimension: 4x7x2.5" Capacity: 1 Litres	
GN19 100	GN PAN 1/9	100mm	Dimension: 4x7x4" Capacity: 1.5 Litres	
GN23 100	GN PAN 2/3	100mm	Dimension: 12.75x13.78x4" Capacity: 8 Litres	



















TAXES:	GST WILL BE CHARGED EXTRA @ 18%
RATES:	The prices quoted above are Ex-Works pimpri Pune. Packaging & Forwarding Extra.

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

PAYMENT: 100% advance at the time of order, before Dispatch.	
DELIVERY:	Stock position to be confirmed at the time of finalization of order.
VALIDITY: The prices may change or we may issue a new price-list without any prior notifications.	

	PRODU	JCT LIST	PAGE 31
CODE	PRODUCT	DETAILS	IMAGE
TRL TR 01	SS TRAY TROLLEY	Dimensions: 20x27x66" Capacity: 15 trays of 16X24" Size SS Thickness: 18swg. With wheels.	
TRL GN 01	SS GN PAN TROLLEY	Dimensions: 15x22x40" Capacity: 6 GN Pans of size 1/1. SS Thickness: 18swg. With wheels.	
TRL PLT SS	SS PLATFORM TROLLEY	Dimensions: 40x24x35" Extra Heavy Built Platform With wheels. Thickness: 1.5mm.	
TRL PVC 01	PLASTIC BOARD 3 LAYER TROLLEY	Dimensions: 36x24x35" Tuff PVC Trays & Base. With Heavy Handle & Wheels.	
TRL 3L SS	SS DINING CART 3 LAYER	Dimensions; 38x20x38" Frame: 25x25mm. SS Square Pipe. With Lockable Wheels.	
TRL DC 2L	SS DRINKING CART 2 LAYER	Dimensions: 38x20x38" Frame: 25x25mm. SS Square Pipe. With Lockable wheels.	
TRL MC 2L	SS MASALA CART 2 LAYER	Dimensions: 34x18x36" Frame: 25x25mm. SS Square Pipe. With Lockable wheels & 8 Bowls And Lids.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

TRL BC 2L	SS BOWL COLLECTION CART 2 LAYER	Dimensions: 38x20x38" Frame: 25x25mm. SS Square Pipe. With Lockable wheels.	
TRL SDC	SOILED DISH COLLECTING CART	Dimensions: 38x20x38" Frame: 25x25mm. SS Square Pipe. With Lockable wheels.	

	<u>PRO</u>	PAGE 32	
CODE	PRODUCT	DETAILS	IMAGE
PUL 2HP	PULVERIZER / GRAVY MACHINE	Motor: 2 HP. Drum Size: 6" No. of Jalis included: 5 Full SS Body. Equipped with Safety Switch.	
PUL 3HP		Motor: 3 HP. Drum Size: 9" No. of Jalis included: 5 Full SS Body. Equipped with Safety Switch.	
PUL 5HP		Motor: 5 HP. Drum Size: 12" No. of Jalis included: 5 Full SS Body. Equipped with Safety Switch.	
CMG 3L	COMMERCIAL MIXER GRINDER	Jar Capacity: 3 Ltr. Motor: 1 HP. Full SS Body. Heavy Duty Multipurpose Machine.	
CMG 5L		Jar Capacity: 5 Ltr. Motor: 1.5 HP. Full SS Body. Heavy Duty Multipurpose Machine.	
CMG 9L		Jar Capacity: 9 Ltr. Motor: 2 HP. Full SS Body. Heavy Duty Multipurpose Machine.	
WG 3L		Bowl Capacity: 3 Ltr. Motor: 0.5 HP. Full SS Body. Gear Box Model.	
WG 5L		Bowl Capacity: 5 Ltr. Motor: 1 HP. Full SS Body. Gear Box Model. With Coconut Scrapper.	
WG 7L	WET GRINDER	Bowl Capacity: 7.5 Ltr. Motor: 1 HP. Full SS Body. Gear Box Model. With Coconut Scrapper.	
WG 10L		Bowl Capacity: 10 Ltr. Motor: 1.5 HP. Full SS Body. Gear Box Model. With Coconut Scrapper.	
IDK 5KG	INDIAN	Kneading Capacity: 5 Kg. Motor: 0.5 HP. SS304 Bowl & Arm. Heavy Cl Body.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

IDK 10KG	DOUGH KNEADER BATCH TIME 5-7 MINS	Kneading Capacity: 10 Kg. Motor: 1 HP. SS304 Bowl & Arm. Heavy CI Body.	
IDK 15KG		Kneading Capacity: 15 Kg. Motor: 1 HP. SS304 Bowl & Arm. Heavy CI Body.	
IDK 20KG		Kneading Capacity: 20 Kg. Motor: 1.5 HP. SS304 Bowl & Arm. Heavy CI Body.	
IDK 30KG		Kneading Capacity: 30 Kg. Motor: 2 HP. SS304 Bowl & Arm. Heavy Cl Body.	
IDK 40KG		Kneading Capacity: 40 Kg. Motor: 3 HP. SS304 Bowl & Arm. Heavy Cl Body.	
VCM IND	INDIAN VEGETABLE CUTTING MACHINE	No. of Blades Included: 6 Different Blades. Motor: 1 HP. Capacity: 200 Kg/ Hr. SS Body & Blades. Net Weight: 45 Kg.	T I II

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

CODE	PRODUCT	DETAILS	IMAGE
PP 10KG	SS POTATO PEELER	Peeling Capacity: 10 Kg per Batch. Batch time: 3-5 minutes. Motor: 1 HP. Full SS Body. Net Weight: 52 Kg.	
PP 15KG		Peeling Capacity: 15 Kg per Batch. Batch time: 3-5 minutes. Motor: 1 HP. Full SS Body. Net Weight: 68 Kg.	
PP 25KG		Peeling Capacity: 25 Kg per Batch. Batch time: 3-5 minutes. Motor: 1.5 HP. Full SS Body. Net Weight: 74 Kg.	
MM IND	INDIAN MEAT MINCER	Cast Iron Body & Rotor. Stainless Steel Cutter & Jali. Motor: 1 HP. Net Weight: 52 Kg.	
IS GAS SS 6T	GAS IDLI STEAMER 6 TRAY SS BODY	Capacity: 72 Idli: 6 Tray of 12 Idli. SS Body. With Stove Below. Option available for Khaman Dhokla Tray.	
IS GAS SS 10T	GAS IDLI STEAMER 10 TRAY SS BODY	Capacity: 120 Idli: 10 Tray of 12 Idli. SS Body. With Stove Below. Option available for Khaman Dhokla Tray.	
IS ALU 6T	ALUMINIUM IDLI STEAMER 6 TRAY	Capacity: 54 Idli: 6 Tray of 9 Idli. Aluminium Body. To be kept above existing burner range.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

IS ALU 12T	ALUMINIUM IDLI STEAMER 12 TRAY	Capacity: 108 Idli: 12 Tray of 9 Idli. Aluminium Body. To be kept above existing burner range.	
SAL	INDIAN	Dimensions:	anner
SML	SALAMANDER	26x17x18" Dual	ATTEN OF THE PROPERTY OF THE P
IND	SMALL	Heater. SS Body.	
SAL	INDIAN	Dimensions:	1 600
BIG	SALAMANDER	33x18x18" Dual	•
IND	BIG	Heater. SS Body.	

<u>PRODUCT LIST</u>		PAGE 34	
CODE	PRODUCT	DETAILS	IMAGE
BBQ SS MINI	STEEL MINI CHARCOAL BARBEQUE	Dimensions: 16x16x9" With 4 Skewers.	CCLÉ A
BBQ BLK MINI	BLACK MINI CHARCOAL BARBEQUE	Dimensions: 19x10x9" With 4 Skewers.	
BBQ GAS ROT	GAS ROTATING BARBEQUE	Dimensions: 700x365x295+77mm. Inches: 28x15x12+2" approx. Automatic Rotating Grill. Capacity: 13 Skewers. LPG Gas: Low Pressure 2800PA. Full SS Body. With Drip Tray.	wood
BBQ GAS 4B	GAS BARBEQUE GRILL / LIFTABLE ROBATA GRILL	Dimensions: 580x565x300mm. Inches: 23x22x12" approx. Grill Adjustable to 120mm (5") Height. Four Burners with High Temperature Resistant Glass Fire Damper. Grill Size: 520x336mm (21x13.5")	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

		· · · · · · · · · · · · · · · · · · ·	
BBQ WA	SS STANDING CHARCOAL BARBEQUE	Dimensions: 36x18x32 SS Body. One Under-sho Three Baskets Provided for 0	elf.
CH ROT WA	CHICKEN GRILL MACHINE / CHICKEN ROTISSERIE	Dimensions: 36x24x68 Capacity: 15 Birds. SS Body. Automatic Rotar Gas Operated.	Management and the state of the
SHW TT IND SHW TT IMP	SHAWARMA MACHINE TABLE TOP MODEL	Dimensions: 18x22x36 Two Burners. SS Body. Gas Operated	
SHW CAB WA	SHAWARMA MACHINE WITH CABINET	Dimensions: 30x22x72" Burners. Motorized Mod SS Body with Drawer, Side I Space for Cylinder. Gas Ope	del. Rack &

<u>PRODUCT LIST</u>			PAGE 35
CODE	PRODUCT	DETAILS	IMAGE
FW S	IMPORTED ROUND GLASS FOOD WARMER SMALL	Dimensions: 26x20x25" Temperature Range: 50-110°C Steel Finish Body. Power: 0.8Kw. 2 Shelves + Base. Weight: 27kg.	
FW B	IMPORTED ROUND GLASS FOOD WARMER BIG	Dimensions: 38x20x25" Temperature Range: 50-110°C Steel Finish Body. Power: 1.2Kw. 2 Shelves + Base. Weight: 30kg.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

	· 51 57 000 11022, 300012.	303. Linui. dilitedelitei prisesto@	Website. William
FW REG 1G	FOOD WARMER REGULAR SINGLE GLASS	Dimensions: 24x10x18" Single Side Glass Sliding Door. Temperature Range: 50-110°C	
FW REG 2G	FOOD WARMER REGULAR DOUBLE GLASS	Dimensions: 24x10x18" Two Side Glass Sliding Door. Temperature Range: 50-110°C	
FW SS	FOOD WARMER STEEL BODY	Dimensions: 24x10x18" Single Side Glass Sliding Door. Temperature Range: 50-110°C	
FW JHD	FOOD WARMER JUMBO HEAVY DUTY	Dimensions: 27x14x22" Single Side Glass Sliding Door. Temperature Range: 50-110°C	
PME	ELECTRIC POP-CORN MACHINE	Dimensions: 22x16.5x27" Power: 1.3Kw. Bowl Capacity: 250gms. Glass Fitted. Bulb Provided. With Base Heater.	
PMG	GAS POP-CORN MACHINE	Dimensions: 20x16.5x27" Bowl Capacity: 350gms. Glass Fitted. Bulb Provided. With Base Heater.	POPCORN
PM FLAV	ELECTRIC POP-CORN MACHINE WITH FLAVOUR STORAGE	Dimensions: 35x15x30" Power: 1.3Kw. Bowl Capacity: 350gms. Glass Fitted. Bulb Provided. With Base Heater.	

TERMS & CONDITIONS:

PACKAGING AN	<u>1D</u>
FORWARDING	ì:

OUT OF PUNE:

- PACKAGING AND FORWARDING CHARGES ARE 4% ADDITIONAL FOR OUT OF PUNE DISPATCHES.
- TRANSPORTATION COST TO BE PAID BY THE CUSTOMERS AT ACTUALS.

П

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com			
	PUNE:		
		PUNE CUSTOMERS WILL PAY TEMPO CHARGES AT ACTUALS FOR DELIVERY.	
WARRANTY IN		ONE YEAR WARRANTY PROVIDED FOR ALL PRODUCTS.	
<u>GENERAL:</u>	Ш	ONE TEAR WARRANTT PROVIDED FOR ALL PRODUCTS.	
	PUNE:		
	•	BIG EQUIPMENT WILL BE SERVICED OR REPAIRED ON SITE.	
	•	TABLE TOP EQUIPMENT SHOULD BE BROUGHT TO OUR WAREHOUSE FOR REPAIRS.	
	•	TABLE TOP ITEMS ARE:	
		Fryers, Sandwich Grillers, Blenders, Waffle Makers, Toasters, Meat Mincers,	
		7ltr Planetary Mixer, Pizza Ovens, Shawarma Machines And Similar Items Which Can Be Carried By A Single Person.	
	OUTO	F PUNE:	
	•	SERVICE AND WARRANTY FOR OUT OF PUNE DEPENDS ON THE CITY OF	
		PURCHASE AND AVAILABILITY OF OUR TECHNICIAN IN THE AREA.	
	•	THE CUSTOMER NEEDS TO CONFIRM REGARDING THE SERVICE AND	
		WARRANTY TERMS FOR THEIR CITY BEFORE PURCHASE.	
WARRANTY FOR		BRANDED PRODUCTS SUCH AS WHIRLPOOL, CELFROST, PANASONIC, ETC.	
BRANDS:		WILL CARRY WARRANTY WHICH WILL BE DIRECTLY PROVIDED BY THE	
		COMPANY.	
<u>INSTALLATION:</u>	•	WE PROVIDE INSTALLATIONS FOR CERTAIN PRODUCTS,	
		MANY OTHER PRODUCTS ARE PLUG AND PLAY AND DO NOT NEED INSTALLATION.	
	•	TECHNICIAN VISITING FOR INSTALLATION OF THE PRODUCT WILL INSTRUCT	
		THE CUSTOMERS ON THE WORKS TO BE COMPLETED BEFORE INSTALLATION.	
	•	IF THE WORKS ARE NOT COMPLETED FROM THE CUSTOMER'S END DURING	
		THE VISIT, THE SECOND VISIT WILL INCUR CHARGES.	
		THE PRICES OF WALL SHELVES AND EXHAUST HOODS ARE PRODUCT PRICE,	
		IT DOES NOT INCLUDE FITTING OR INSTALLATION. IF REQUIRED THESE SERVICES CAN BE PROVIDED AT AN EXTRA COST.	
DAVAGNIT.			
<u>PAYMENT:</u>		PAYMENTS ARE TO BE MADE 100% ADVANCE AT THE TIME OF ORDER, BEFORE DISPATCH.	
LOADING &		LOADING OF THE GOODS FROM OUR WAREHOUSE WILL DONE BY US.	
UNLOADING:		UNLOADING DOES NOT FALL UNDER OUR SCOPE OF WORK.	
OTHER CHARGES:	_		
		ANY LOCAL TAX OR CHARGES SUCH AS MHATADI, ETC. WILL BE PAID BY THE CUSTOMER.	
DAMAGE DURING	•	THE DISPATCH TEAM WILL CHECK, PACK AND LOAD THE GOODS.	
TRANSPORTATION:	•	AFTER THIS WE ARE NOT RESPONSIBLE FOR ANY DAMAGE IN TRANSPORT.	
	•	WE ALWAYS SUGGEST OUR BUYERS TO USE PRIVATE VEHICLES FOR THE	
		SAFETY OF THE GOODS.	

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

<u>VALIDITY:</u>	☐ THE PRICES MAY CHANGE OR WE MAY ISSUE A NEW PRICE-LIST WITHOUT ANY PRIOR NOTIFICATIONS.
AVAILABILTY:	☐ STOCK POSITION TO BE CONFIRMED AT THE TIME OF FINALIZATION OF ORDER.
	SPECIAL CASES WHERE WARRANTY WILL BE VOID:
FOR REFRIGERATORS:	ALL REFRIGERATORS COME WITH ONE YEAR WARRANTY FOR COMPRESORS. DELICATE COMPONENTS SUCH AS TEMPERATURE CONTROLLERS, CONDENSERS, ETC. ARE NOT COVERED UNDER WARRANTY AS IT MAY GET DAMAGED DUE TO IMPROPER VOLTAGE SUPPLY OR MULTIPLE JERKS OF VOLTAGE FLUCTUATION. WE PROVIDE FREE SERVICE FOR CHANGE OF SUCH PARTS BUT THE CUSTOMERS NEEDS TO PAY THE COST OF THE SPARE CHANGED.
FOR PLANETARY MIXERS:	WE PROVIDE ONE YEAR LIMITED WARRANTY FOR PLANETARY MIXERS. THESE MIXERS ARE TO BE USED FOR CREAM WHIPPING AND BATTER MIXING. IT HAS LIMITATIONS WHILE USING FOR DOUGH MIXING. 1. IT CANNOT BE USED IN THE THIRD GEAR (HIGHEST SPEED) FOR DOUGH MIXING. 2. THE QUANTITY OF THE FLOUR SHOULD NOT BE MORE THAN THE MENTIONED CAPACITY OF THE MIXER. 3. THE MIXER SHOULD BE TURNED OFF BEFORE CHANGING THE GEAR TO DECREASE THE WEAR AND TEAR OF THE GEARS. IF THE MIXER BREAKS DOWN DUE TO NEGLIGENCE IN FOLLOWING THE ABOVE FIRST TWO INSTRUCTIONS, IT WILL NOT BE COVERED UNDER WARRANTY.
FOR DECK OVENS:	GAS OVENS REQUIRE PROPER VENTILATION. IF PLACED IN A CONGESTED PLACE WITH NO VENTILATION OR IF AIR IS OBSTRUCTED, THE BLOWER FANS IN THE OVEN MAY BURN. IN SUCH A CASE CHANGE OF BLOWER WILL NOT BE COVERED UNDER WARRANTY. OVEN DOOR SPRINGS AND BULBS CAN BE CHANGED BY THE CLIENT AND IT IS NOT INCLUDED IN THE ON SITE SERVICE AS IT IS GENERAL WEAR AND TEAR.
FOR INDIAN MACHINES WITH MOTOR:	MOTOR BURN DUE TO WATER COMING IN CONTACT WITH THE MOTOR WILL NOT BE COVERED UNDER WARRANTY. REWINDING CHARGES AS WELL AS TECHNICIAN CHARGES ARE TO BE PAID BY THE CUSTOMER.
WATER DAMAGE:	ANY MACHINE DAMAGED DUE TO CONTACT WITH WATER WHILE WASHING THE KITCHEN OR ANY OTHER REASON WILL NOT BE COVERED UNDER WARRANTY.

[&]quot;Looking forward to receive your valued order, looking forward to serve you better."

Manufacturer Of All Type Commercial Kitchen Equipment & Importer Of Hotel Equipment

B Side L, Near Tawakkul Jama Masjid, Bhimrao Bhosale Chowk, Nehru Nagar, Pimpri, Pune, Maharashtra 411018.

Ph. +91 9766641022, 9860125383. Email: unitedenterprises18@gmail.com Website: www.punekitchen.com

AMIR ALI MULLA,